

New products and top promotions

That's unbeatable!

More choice, more performance,
more top deals.

NEW! 18 V cordless vacuum cleaner VC 9 L MC 18 RC

Compatible with the FLEX storage and STACK PACK transport system

→ Page 2

NEW! The TV 18-EC 18 V cordless tile vibrator

Very handy, light tool with optimum operating comfort

→ Page 2

NEW! The new generation of screwdriver

Compact 2-speed 18 V cordless drill and impact drill

→ Page 3

NEW! A system that grows with you!

Three new attachments to make gardening more flexible.

→ Page 24

NEW! LED rechargeable light ring

WL 1000 GE 6

For GE 6 X/R wall and ceiling sander

→ Page 28

Compact 18 V cordless vacuum cleaner VC 9 L MC 18 RC with manual filter cleaning, 9 l, Class L



NEW



- Brushless motor
- With radio remote control for connecting power tools.
- Manual filter cleaning
- High-performance turbine for high suction power and high negative pressure
- Compatible with the FLEX storage and STACK PACK transport system
- With compact hose Ø 32 mm 0.5 m long, extendable to 1.5 m
- With integrated accessory storage

FLEX pack 18



Technical data

Dust class	L
Tank volume	9.5 l
Liquid capacity	7.6 l
Battery voltage	18 V
Air flow	1780 l/min
Max. negative pressure	20,400 Pa
Filter cleaning	manual
Dimensions L x W x H	440 x 340 x 258 mm
Weight without battery pack	4.7 kg

Order No. 534916

- 1x VC 9 L MC 18 RC
- 1x carrying strap
- 1x HEPA 13 flat-fold filter
- 1x crevice nozzle
- 1x brush nozzle
- 1x adapter
- 1x suction hose VC 9 SH-C D32x0.5x1.5m
- 1x radio remote control VCE/VC RC set

2.143⁰⁰

You can find more industrial vacuum cleaners from page 34

18 V cordless tile vibrator TV 18-EC



NEW


- This efficient form of vibration transfer prevents cavities and bubbles forming in the adhesive. In turn, this ensures a perfect bond between the tile and adhesive
- Very handy, light tool with optimum operating comfort
- Brushless motor and Electronic Management System (EMS)



Despite vibrations, the locking mechanism reliably keeps the battery pack connected to the machine.



Integrated speed control for optimum adaptation to material and format



With a Ø 120 mm vibration plate, suitable for large-format wall and floor tiles

FLEX pack 18

Order No. 535424

- 1x TV 18-EC



1.425⁰⁰

New generation of 2-speed 18 V cordless drill and impact drill



- Brushless motor and Electronic Management System (EMS)
- With switchable anti-kickback function
- Accelerator trigger switch with switch-on lock
- Electronic quick-acting brake
- Robust aluminium pressure die-cast gearbox housing
- Clockwise/anticlockwise rotation with safety catch
- Ergonomically designed, non-slip rubber-coated handle
- Integrated LED light with afterglow function
- Includes attachable additional handle, belt clip and bit storage



FLEX
pack 18



The most compact and most powerful screwdrivers in their class with turbo mode!

Technical data	DD 2G 18-EC MD DC	PD 2G 18-EC MD DC	DD 2G 18-EC HD2	PD 2G 18-EC HD2
Battery voltage	18 V	18 V	18 V	18 V
Max. Hard torque	115 Nm	115 Nm	170 Nm	170 Nm
Max. Soft torque	60 Nm	60 Nm	-	-
Max. no-load speed, 1st gear	600 rpm	600 rpm	700 rpm	700 rpm
Max. no-load speed, 2nd gear	2300 rpm	2300 rpm	3000 rpm	3000 rpm
Max. no-load impacts per minute, 1st gear	-	9600 rpm	-	11,200 rpm
Max. no-load impacts per minute, 2nd gear	-	36,800 rpm	-	41,600 rpm
Max. drilling diameter in wood	68 mm	68 mm	160 mm	160 mm
Max. Diameter of steel drill	13 mm	13 mm	13 mm	13 mm
Max. Diameter of masonry drill	-	13 mm	-	16 mm
Chuck clamping width	1.5-13 mm	1.5-13 mm	1.5-13 mm	1.5-13 mm
Torque adjustment	18+1 steps	22+1 steps	22+1 steps	22+1 steps
Dimensions L x W x H	168 x 65 x 208 mm	180 x 65 x 208 mm	173 x 65 x 214 mm	175.5 x 65 x 214 mm
Weight without battery pack	1.4 kg	1.5 kg	1.6 kg	1.6 kg
Item No.	534901	534903	535165	535162
Machine boxed	2.245,00	2.348,00	2.553,00	2.655,00
Item No.	534902	534904	535161	535163
Machine in L-BOXX® TKL-136	2.655,00	2.758,00	2.963,00	3.065,00

4 V cordless screwdriver SD 7-320 4, powerful performance in pocket size

- Extremely streamlined handle section with soft-grip inlays
- Seven torque levels
 - + mode for maximum power
- 1/4" tool holder for socket sets
- Clockwise/anti-clockwise rotation
- Integrated LED light with afterglow function
- Incl. USB-C charging port 12 W

NEW

Order No. 534549

- 1x SD 7-320 4
- 1x USB charging cable
- 1x bit slot
- 1x Phillips bit
- 1x small carrying bag

415⁰⁰



FLEX battery system

The patented Performance battery system with XLITHIUM POWER delivers on its promise!

Long run time, long service life, long maximum performance. Only from FLEX: With the patented cooling system, FLEX delivers optimum tool and the battery cell protection. The battery management system controls the permanent data exchange between the tool, battery and charger so that all parameters are optimally set. This ensures power when the battery and tool are working together, and allows you to use them without energy loss.



The smart technology controls and monitors both tool activity and charging, and uses the LCD display to show the battery charge level.



The unique, integrated cooling system ensures constant temperatures even under heavy loads. Only for 18 V battery packs.



Superior power thanks to high-performance lithium-ion cells.



No self-discharge. No memory effect.



Low-wear and brushless motor with EC technology for greater running performance, more power and a longer service life.

Battery chargers and lithium-ion battery packs

Battery packs with built-in charge/discharge protection.
Dustproof and splashproof. Built-in charge status indicator offers an instant check of battery cell charge levels.

	Product	Type	Description	Order No.	Price excl. moms
18 V	 Dual charge	CA SP 2x 12/18	Charging times, 18 V batteries <ul style="list-style-type: none"> ▪ 40 min for 2.5 Ah battery pack ▪ 60 min for 5.0 Ah battery pack ▪ 95 min for 8.0 Ah battery pack 	533152	1.528,00
	 Power kit 18-55 Duo SP	Power kit 18-55 Duo SP	<ul style="list-style-type: none"> ▪ 1x fast charger CA SP 2x 12/18 ▪ 2x 18 V battery pack AP 18/5.0 	534911	3.270,00
	 Power kit 18-88 Duo SP	P-Set 18-88 Duo SP	<ul style="list-style-type: none"> ▪ 1x fast charger CA SP 2x 12/18 ▪ 2x 18 V battery pack AP 18/8.0 	534912	4.910,00
	 Fast charger	CA 12/18	<ul style="list-style-type: none"> ▪ For 12 V and 18 V battery packs ▪ Integrated battery pack cooling ▪ Overheating/discharge/overload protection Charging times, 18 V batteries <ul style="list-style-type: none"> ▪ 40 min for 2.5 Ah battery pack ▪ 50 min for 5.0 Ah battery pack ▪ 75 min for 8.0 Ah battery pack 	532280	728,00
	 Power 18-88 R	P-set 18-88 R	<ul style="list-style-type: none"> ▪ 1x fast charger CA 12/18 ▪ 2x 18 V battery pack AP 18/8.0 	533175	4.090,00
	 Power 55 R	P-set 55 R	<ul style="list-style-type: none"> ▪ 1x fast charger CA 12/18 ▪ 2x 18 V battery pack AP 18/5.0 	532739	2.563,00
	 Power 22 Q	P-set 22 Q	<ul style="list-style-type: none"> ▪ 1x charger CA 18 ▪ 2x 18 V battery pack AP 18/2.5 	532740	1.589,00
	 18 V lithium-ion battery pack AP 18/2.5	AP 18/2.5		532732	779,00
	 18 V lithium-ion battery pack AP 18/5.0	AP 18/5.0		532733	1.220,00
	 18 V lithium-ion battery pack AP 18/8.0	AP 18/8.0		532748	2.040,00
12 V	Product	Type	Description	Order No.	Price excl. moms
	 Fast charger 12 V	CA 12	<ul style="list-style-type: none"> ▪ For 12 V battery packs ▪ Integrated battery pack cooling, overheating/discharge and over load protection ▪ With LED charge indicator Charging times, 12 V batteries <ul style="list-style-type: none"> ▪ 40 min for 2.5 Ah battery pack ▪ 50 min for 5.0 Ah battery pack 	532286	503,00
	 Power 12-55 Q	P-Set 12-55 Q	<ul style="list-style-type: none"> ▪ Fast charger CA 12 ▪ 2x 12 V battery pack 12/5.0 	534910	1.794,00
	 Power 12-22 Q	P-set 12-22 Q	<ul style="list-style-type: none"> ▪ Fast charger CA 12 ▪ 2x 12 V battery pack AP 12/2.5 	531719	1.425,00
	 12 V lithium-ion battery pack AP 12/2.5	AP 12/2.5		532290	605,00
	 12 V lithium-ion battery pack AP 12/5.0	AP 12/5.0		531690	810,00



Now also in a 12V version!

Pick 2 new 12-volt tools from the extensive FLEX cordless range and make savings not just on the tools. Each FLEX-PACK12 includes a DD 2G 12 drill, three battery packs, a charger and a free bag. So pick what you want. The choice is yours!

2 12 V tools
of your choice

2.680⁰⁰

The FLEXPACK12 contains:

1x DD 2G 12 LDBC/2.5

2x Li-Ion battery packs AP 12/2.5 Ah

1x charger CA 12



2x 12 V tools of your choice*

* (see range below)



1x bag

1x practical carrying bag
made of plastic-reinforced,
tear-resistant fabric material



1x AP 12/5.0 Ah

1x lithium-ion battery AP 12/5.0 Ah



When ordering, please
also state the following
FLEXPACK12 order num-
ber for the tool order
numbers as listed.

535288

You can choose more than one of the same tool.



Order No. 533846

2-speed
cordless drill driver
DD 2G 12-EC C



Order No. 533847

2-speed
cordless hammer drill
PD 2G 12-EC C



Order No. 531707

Cordless drywall screwdriver
DW 37 12-EC C



Order No. 531316

Cordless jigsaw
with pendulum stroke
JSP 12-EC C



Order No. 531709

Cordless combination
rotary hammer drill
FHE 1-16 12-EC C



Order No. 531314

Cordless reciprocating saw
RS 16 12-EC C



Order No. 532324

LED cordless building site
spotlight
CL 5000 12/18



Order No. 531717

Cordless angle grinders
LBE 76 12-EC C



Now even
more choice!



Select your 3 new 18 volt tools from the wide FLEX cordless range and make savings not just on the tools: Each FLEXPACK18 includes three battery packs, a charger and a bag for free. So pick what you want. The choice is yours!


3 18 V tools
of your choice

5.900⁰⁰

The FLEXPACK18 contains:

3x 18 V tools of your choice*

(* See product line on pages 18/19)



1x battery set

3x Li-Ion battery pack AP 18.0/5.0 Ah
1x fast charger CA 12/18



1x bag

1x practical carrying bag
made of plastic-reinforced,
tear-resistant fabric material



When ordering, please
also state the following
FLEXPACK18 order num-
ber for the listed tool
order numbers!

497444

Ideal
addition to the
FLEXPACK

The promotion applies only
when purchasing
three L-BOXXes!



Example combination of
TK-L 136, TK-L 238 and TK-L 374

Economy box kit

Choose three L-BOXXes from the sizes

- 1 TK-L 136 (507822, Promotion No. 12) 456,00
- 2 TK-L 238 (507830, Promotion No. 13) 478,00
- 3 TK-L 374 (507849, Promotion No. 14) 521,00

and get a bonus matching anti-slip inlay
for each one

- 3x L-BOXX®
- 3x anti-slip inlay



Three 18 V tools of your choice

You can choose more than one of the same tool.



Order No. 491225

2-speed cordless drill
DD 2G 18.0-EC C

1



Order No. 530189

Cordless impact screwdriver
IW 1/2" 950 18.0-EC C

1



Order No. 491314

Cordless combi
hammer drill
CHE 2-26 18.0-EC C

2



Order No. 530497

Cordless angle grinder
L 125 18.0-EC LD C

1



Order No. 531272

2-speed cordless
drill with Turbo mode
DD 2G 18.0-EC HD C

1



Order No. 492612

Cordless impact screwdriver
IW 3/4" 18.0-EC C

1



Order No. 531737

Cordless hot glue gun
GG 200 18



Order No. 531770

Cordless angle grinder
LBP 125-15 18-EC C

1

Only while stocks last.



Order No. 530531

2-speed cordless drill
DD 2G 18.0-EC LD C

1



Order No. 491233

2-speed cordless
hammer drill
PD 2G 18.0-EC C

1



Order No. 531493

Cordless hot air gun
HG 530 18



Order No. 518867

Cordless straight grinder
DGE 25 18.0-EC

1

NEW



Order No. 534901

2-speed cordless drill
DD 2G 18-EC MD DC C

1



Order No. 530532

2-speed cordless
hammer drill
PD 2G 18.0-EC LD

1



Order No. 517674

Cordless compact circular
saw CS 45 18.0-EC C



Order No. 532081

Cordless eccentric
orbital sander
ORE 2-125 18-EC C

2

NEW



Order No. 535165

2-speed cordless drill
DD 2G 18-EC HD2 C

1



Order No. 534903

Cordless hammer drill
PD 2G 18-EC MD DC C

1



Order No. 491322

Cordless compact circular
saw CS 62 18.0-EC C



Order No. 532087

Cordless delta sander
ODE 2-100 18-EC C

2



Order No. 491292

4-speed cordless drill
DD 4G 18.0-EC C

1



Order No. 515698

2-speed cordless
hammer drill
with Turbo mode
PD 2G 18.0-EC-HD C

1



Order No. 533686

Cordless metal circular saw
CSM 57 18-EC



Order No. 532084

Cordless orbital sander
OSE 2-80 18-EC C

2

Only while stocks last.



Order No. 520756

Cordless impact screwdriver
ID 1/4" 18.0-EC-HD C

1



Order No. 535162

Cordless hammer drill
PD 2G 18-EC HD2 C

1



Order No. 533217

Cordless caulking gun
CG 310 18



Order No. 534184

Cordless eccentric
orbital sander
ORE 3-150 18-EC C

2



Order No. 491268

Cordless impact screwdriver
IW 1/2" 18.0-EC C

1



Order No. 491276

Cordless drywall
screwdriver
DW 45 18.0-EC C

1



Order No. 518409

Cordless Multitool 18.0 V
with StarlockMAX
holder MT 18.0-EC C



Order No. 534186

Cordless eccentric
orbital sander
ORE 5-150 18-EC C

2



Order No. 531502

Cordless impact screwdriver
IW 1/2" 400 18-EC C

1



Order No. 531311

Cordless combination rotary
hammer drill
FHE 1-16 18.0-EC C

1



Order No. 499307

Cordless angle grinder
LB 125 18.0-EC C



Order No. 534435

Cordless orbital sander
OSE 2-70 x 198 18-EC C

2



Order No. 530231

Cordless impact screwdriver
IW 1/2" 750 18.0-EC C

1



Order No. 491284

Cordless combi
Hammer drill
CHE 18.0-EC C

2



Order No. 499285

Cordless angle grinder
LBE 125 18.0-EC C



Order No. 509981

Cordless compact vacuum
cleaner
VC 2 L MC HIP 18.0-EC

FLEX pack 18



Order No. 481491

Cordless compact vacuum cleaner VC 6 L MC 18.0



Order No. 530372

Cordless reciprocating saw RS 25 18.0 C

1



Order No. 534916

Cordless vacuum cleaner VC 9 L MC 18 RC



Order No. 515981

Cordless reciprocating saw RS 29 18.0 C

2



Order No. 503002

Cordless fan CF 18.0/230



Order No. 491306

Cordless reciprocating saw RSP DW 18.0-EC C

2



Order No. 531634

Cordless edge milling cutter and router MT 18.0-EC C



Order No. 531748

Cordless band saw SBE 64 18-EC

2



Order No. 531279

Cordless lopper GPS 35 18-EC



Order No. 485403

Cordless jigsaw JS 18.0-EC C

1



Order No. 531275

Cordless hedge trimmer GHT 55 18-EC



Order No. 489794

Cordless jigsaw JSB 18.0-EC C

1



Order No. 531277

Cordless lawn trimmer GLT 35 18-EC



Order No. 506648

Cordless inflator CI 11 18.0/12 V



Order No. 531278

Cordless leaf blower GBL 790 18-EC



Order No. 495964

2-speed cordless mixer MXE 18.0-EC HP2 120
incl. HP2



Order No. 472913

Cordless fan BW 18.0-EC



Order No. 532276

Cordless building site radio RD 12/18/230



Order No. 531276

Cordless chain saw GCS 35 2x18-EC



Order No. 532813

Cordless building site radio RD SP 12/18/230

Multiple choice not possible!



Order No. 533152

Cordless double charger CA SP 2x 12/18



Order No. 535424

Cordless tile vibrator TV 18-EC C



Order No. 532748

18 V battery pack AP 18.0/8.0

Order No. 504637

LED cordless lamp WL 2800 18.0

Order No. 513075

LED cordless lamp WL 300 18.0

Order No. 532323

LED cordless lamp CL 10000 12/18

Order No. 532324

LED cordless lamp CL 5000 12/18

Order No. 532325

LED cordless full-spectrum lamp DWL 2500 12/18

Order No. 472921


LED cordless building site spotlight CL 2000 18.0

Order No. 530375

LED cordless building site spotlight TL 4000 18.0/230

Order No. 531330

Cordless vacuum lifter VLP 18.0 C



Made-to-measure
case inserts
can be found here:

www.flex-tools.com



Getting more from 18 volts is not possible!



Select your 3 new 18 volt tools from the wide FLEX cordless range and make savings not just on the tools: Each FLEXPACK18 XL comes with three battery packs and a complementary charger. So pick what you want to have. The choice is yours!


3 18 V tools
of your choice

7.920⁰⁰

The FLEXPACK18 XL includes:

3x 18 V tools of your choice*

* (see range below)



1x battery set

2x lithium-ion battery pack AP 18/5.0
1x fast charger CA 12/18



1x AP 18/8.0

1x lithium-ion battery pack AP 18/8.0 Ah



When ordering, please also state the following FLEXPACK18 XL order number for the tool order numbers as listed.

534453

You can choose more than one of the same tool.



Order No. 500631

Cordless mitre saw
SMS 190 18.0-EC



Order No. 532072

Cordless impact screwdriver
IW 3/4" 1600 18-EC C



Order No. 532063

Cordless impact screwdriver
IW 1/2" 1500 18-ECC



Order No. 531330

Cordless vacuum lifter
VLP 18.0 C



Order No. 532636

Cordless compact circular handsaw with pendulum
hood
CS 68 18-ECC C



Order No. 531749

Cordless band saw
SBE 127 18-EC



Order No. 533175

P-set 18-88 R



Order No. 532813

Cordless building site radio
RD SP 12/18/230

**Tools from
FLEXPACK (497444)
(page 10/11)
can also be selected!**

12 V cordless angle grinder, LBE 76 12-EC set



- Brushless motor
- Soft start, restart protection
- Temperature monitoring
- Overload protection
- Electronic brake
- Anti-kickback



Head can be rotated 180°, ideal cutting for both right-handed and left-handed users. The 90° position is suitable for grinding.



4-level variable speed adjustment
5000 / 10000 / 15000 / 20000 rpm



Forward and reverse operation for pulling or pushing cut and for controlling spark production. Extraction unit (scope of delivery) can be attached directly to the clip-on cutting guard.



Integrated LED light in two positions with afterglow function

FLEX pack 12

Order No. 535121

- 1x LBE 76 12-EC boxed
- 1x charger CA 12
- 1x lithium-ion battery pack AP 12/5.0 Ah
- 1x disc guard
- 1x clip-on cutting guard
- 1x belt clip
- 1x adapter for vacuuming Ø 32 mm
- 2x metal cutting discs M-CD 76/INOX (1 mm)
- 1x Multi-Material Carbide disc CA-CD 76/1.8
- 1x metal roughing disc M-GD 76/4 (4 mm)
- 1x carrying bag



For more accessories, please turn to page 68



Promotion No. 15

2.767⁰⁰



18 V cordless multitool MT 18.0-EC



STARLOCK MAX

STARLOCK PLUS

- Oscillation angle of 2° on both sides
- StarlockMAX tool holder
- Brushless motor
- Anti-vibration damping elements
- Tool-free tool change
- Integrated double LED lamp

Order No. 531018

- 1x MT 18.0-EC
- 1x charger CA 18.0-LD
- 2x battery pack AP 18/2.5
- 1x carrying case L-BOXX® TK-L 136



Integrated double LED lamp with afterglow function



With StarlockMAX tool holder and compatible clamping mechanism for all Starlock accessory parts

Also included in this promotion:
1x charger CA 18.0-LD
2x lithium-ion battery pack AP 18/2.5 Ah



Promotion No. 16

3.787⁰⁰

12 V cordless drywall screwdriver DW 37 12-EC + M-DW 55



FLEX
pack 12

- Brushless motor
- Pulse mode
- Auto-start
- Electronic quick-acting brake
- Accelerator trigger switch with switch-on lock
- Integrated LED light
- Depth stop can be removed without any tools

Order No. 535920

- 1x DW 37 12-EC
- 1x charger CA 12
- 2x lithium-ion battery pack AP 12.0/2.5 Ah
- 1x screw magazine attachment M-DW 55
- 1x carrying bag



Promotion No. 17

3.245⁰⁰

Also included in
this promotion:
1x charger CA 12
2x battery pack Li-Ion AP 12/2.5 Ah



Screw magazine attachment M-DW 55 suitable for DW 45 18.0-EC and DW 37 12-EC

INCLUDING

3x bits, version PH
size 2, E6.3



Multi-purpose headlamp MWL 150 4

- Can be mounted on various devices using a clamping device
- All-daylight feature 2500-6500 K
- 2 brightness settings, 300 lumen and 150 lumen
- With integrated magnets
- USB-C charging port 12 W



Lamp with multifunctional lighting options, can be used with a headband or as a spotlight with the cap clip.

18 V cordless drywall screwdriver DW 45 18.0-EC



FLEX
pack 18

- Brushless motor
- Pulse mode
- Auto-start
- Clockwise/anticlockwise rotation with safety catch
- Electronic quick-acting brake
- Accelerator trigger switch with switch-on lock
- Depth stop can be removed without any tools
- Integrated LED light

Order No. 535128

- 1x DW 45 18.0-EC boxed
- 1x charger CA 18.0-LD
- 2x battery pack AP 18/2.5
- 1x bit storage
- 1x belt clip
- 1x bit holder



Promotion No. 18

3.028⁰⁰

Also included in
this promotion:
1x charger CA 18.0-LD
2x lithium-ion battery pack AP 18/2.5 Ah



Order No. 531747

- 1x screw magazine attachment M-DW 55



Promotion No. 19

1.357⁰⁰

Order No. 534476

- 1 x USB charging cable
- 1x headband
- 2x holder



913⁰⁰

18 V compact cordless impact screwdriver IW 1/2" 400 18.0-EC



- Brushless motor
- Integrated LED light
- Square drive for 1/2" impact sockets
- Speed Command for 3 speed ranges
- Auto-Stop mode
- Accelerator trigger switch with switch-on lock
- Electronic quick-acting brake

Also included in this promotion:

1x charger CA 18.0-LD
2x lithium-ion battery pack AP 18/2.5 Ah
1x impact socket set IPS D17-21 1/2"



Order No. 535921

- 1x IW 1/2" 400 18.0-EC boxed
- 1x charger CA 18.0-LD
- 2x lithium-ion battery pack AP 18/2.5 Ah
- 1x belt clip
- 1x impact socket set IPS D17-21 1/2"



Promotion No. 21

3.787⁰⁰

Max. torque: 400 Nm
Release torque: 600 Nm

Compact 18 V cordless cartridge press CG 310/600 18



- Up to 3000 N of compressive force
- 6 speed settings
- Non-drip
- Integrated LED light

Technical data

Battery voltage	18 V
Compressive force	3000 N
Speed settings	6
Feed rate	0-0.5 to 14 mm/s
Cartridge capacity	300-310 ml
Weight without battery pack	2.1 kg
Dimensions L x W x H	483 x 75 x 285 mm

Order No. 535922

- 1x CG 310/600 18
- 1x cartridge holder
- 1x charger CA 12/18
- 2x lithium-ion battery pack AP 18/5.0 Ah
- 1x discharge pipe 600
- 1x rod 498 mm
- 1x print piece foil bag
- 1x pressure piece bucket material
- 1x nozzle cap
- 1x hook
- 1x Allen key
- 3x nozzles
- 1x carrying case

Promotion No. 22

5.089⁰⁰



Compact 18 V cordless caulking gun CG 310 18

Also included in this promotion:

1x fast charger CA 12/18
2x lithium-ion battery pack AP 18/5.0 Ah



Order No. 535923

- 1x CG 310 18
- 1x cartridge holder
- 1x charger CA 18.0-LD
- 2x lithium-ion battery pack AP 18/2.5 Ah



Promotion No. 23

3.245⁰⁰

Also included in this promotion:

1x charger CA 18.0-LD
2x lithium-ion battery pack AP 18/2.5 Ah



18 V cordless impact screwdriver IW 1/2" 750 18.0-EC



- Brushless motor
- Integrated LED light
- Square drive for 1/2" impact sockets
- Electronic quick-acting brake
- Handle with damping element
- Powerful impact mechanism for maximum performance
- Speed Command for three speed ranges
- Accelerator trigger switch with switch-on lock
- Integrated LED light



Also included in this promotion:

1x fast charger CA 12/18
2x lithium-ion battery pack AP 18/5.0 Ah
1x impact socket set IPS D17-21 1/2"

FLEX
pack 18

Order No. 535924

- 1x IW 1/2" 750 18.0-EC boxed
- 1x charger CA 12/18
- 2x lithium-ion battery pack AP 18/5.0 Ah
- 1x belt clip
- 1x impact socket set IPS D17-21 1/2"

Promotion No. 24

4.7640

Max. torque: 750 Nm
Release torque: 950 Nm



Cordless pipe presses



- Compatible with all common pressfitting systems
- PP 110 18-EC: Maximum pressing range 110 mm for plastic and 54 mm for metal
- PP 40 12: Maximum pressing range 40 mm for plastic and 35 mm for metal
- FLEX PressControl app for improved safety and reliability

- LED indicator for press force monitoring
- Automatic battery charge monitoring
- With electronic retaining bolt lock
- Process cancelled immediately if pressing incorrect
- One-button pressing jaw unlock
- Integrated LED lamp

18 V cordless pipe press PP 110 18-EC

Order No. 534223

- 1x PP 110 18-EC
- 1x carrying case L-BOXX® TK-XL 178*

32 kN
Max. press force



18.33800

Also available as an all-in-one set with
18 V 2.5 Ah battery pack and fast charger in L-BOXX®
DKK 19.465,00 (Order No. 534224).

12 V cordless pipe press PP 40 12

Order No. 534221

- 1x PP 40 12
- 1x carrying case L-BOXX® TK-XL 178*

19 kN
Max. press force



180° rotating collar



13.31500

Also available as an all-in-one set with
12 V 2.5 Ah battery pack and charger in L-BOXX®
DKK 14.135,00 (Order No. 534222).

Price-buster!

18 V cordless angle grinder L 125 18.0-EC LD/5.0 set



- Brushless motor
- Extremely streamlined handle section
- Soft start
- Restart protection
- Anti-kickback
- Disc guard adjustable without tools

Also available as a boxed solo machine
DKK 1.690,00 (Order No. 530497).



Order No. 534329

- 1x L 125 18.0-EC LD
- 1x clamping flange
- 1x clamping nut
- 1x face spanner
- 1x side handle M10
- 1x charger CA 18.0-LD
- 2x lithium-ion battery pack AP 18/5.0 Ah
- 1x disc guard for grinding, Ø 125 mm
- 1x clip-on cutting disc guard clip Ø 125 mm
- 1x carrying case



3.157⁰⁰



FHE 1-16 18.0-EC TC 2.5/set

The lightest and most powerful 18 V cordless rotary hammer drill in its class



- Only 1.37 kg
- Brushless motor
- Drilling, hammer drilling
- Accelerator trigger and continuous operation function
- Electronic quick-acting brake
- Vibration damping

Also available as a boxed solo machine
DKK 2.071,00 (Order No. 531311).



Order No. 531312

- 1x FHE 1-16 18.0-EC
- 1x charger CA 18.0-LD
- 2x lithium-ion battery pack AP 18/2.5 Ah
- 1x carrying case



2.963⁰⁰

18 V cordless percussion drill

18 V cordless drill driver DD 2G 18.0-EC LD/2.5 set



- Very short head length
- Brushless motor
- Accelerator trigger switch with switch-on lock
- Keyless chuck, metal version
- Electronic quick-acting brake
- Clockwise/anticlockwise rotation with safety catch
- Integrated LED light

Also available as a boxed solo machine
DKK 1.661,00 (Order No. 530531).

65 Nm

Order No. 519049

- 1x DD 2G 18.0-EC LD
- 1x charger CA 18.0-LD
- 2x lithium-ion battery pack AP 18/2.5 Ah
- 1x belt clip
- 1x bit storage
- 1x carrying case



2.190⁰⁰

The smart moneysaving set!

18 V cordless angle grinder

L 125 18.0-EC LD/5.0 set

+

18 V cordless percussion drill

1x PD 2G 18-EC LD



Order No. 535132

- 1x L 125 18.0-EC LD
- 1x clamping flange
- 1x clamping nut
- 1x face spanner
- 1x side handle M10
- 1x charger CA 18.0-LD
- 2x lithium-ion battery pack AP 18/5.0 Ah
- 1x disc guard for grinding, Ø 125 mm
- 1x clip-on cutting disc guard clip Ø 125 mm
- 1x carrying case

- 1x PD 2G 18-EC LD
- 1x belt clip
- 1x bit storage
- 1x carrying case



Promotion No. 30
4.438⁰⁰

18 V cordless hammer drill driver PD 2G 18-EC LD 55 TC



65 Nm

- Very short head length
- Brushless motor
- Accelerator trigger switch with switch-on lock
- Keyless chuck, metal version
- Electronic quick-acting brake
- Clockwise/anticlockwise rotation with safety catch
- Integrated LED light
- Impact function

Order No. 534914

- 1x PD 2G 18-EC LD
- 1x charger CA 18.0-LD
- 2x lithium-ion battery pack AP 18/5.0 Ah
- 1x belt clip
- 1x bit storage
- 1x carrying case



2.450⁰⁰

Also available as a boxed solo machine in carrying case without charger und without battery packs
Dkk 1.835,00 (Order No. 534915).

2-speed cordless drill DD 2G 12-LDBC/2.5



34 Nm

- Electronic quick-acting brake
- Accelerator trigger switch with switch-on lock
- Clockwise/anticlockwise rotation with safety catch
- Integrated LED light

Order No. 532274

- 1x DD 2G 12-LD
- 1x charger CA 12
- 2x lithium-ion battery pack AP 12.0/2.5 Ah
- 1x carrying case



1.415⁰⁰

18 V cordless gutter carrier inlet tiller for safe and clean cut-outs.

1x RFE 40 18.0-EC



18 V cordless gutter support inlet router RFE 40 18.0-EC

- A more efficient brushless motor with a longer service life
- Speed preselection with 4 settings, constant speed control by means of overload protection, restart lock, temperature monitoring and anti-kickback function
- The blades are reversible and so can be used 4 x
- Planing width 40 mm, controlled chip feed
- On/Off switch with dead-man function
- Can be adjusted to 6 and 8 mm gutter brackets
- Perfect dust protection thanks to removable protective metal grille

18 V cordless compact circular saw with pendulum hood CS 68 18-EC

- Brushless motor
- Overload protection and temperature monitoring
- Angle scale from 0° to 56°
- With preset angles of 22.5°/45° and 56°
- Connector for external dust extraction Ø 27 mm, 36 mm
- Chip collection bag for less dust while working
- Motor brake stops the saw blade in 2 seconds
- Integrated LED light

Order No. 535925

▪ 1x RFE 40 18.0-EC	▪ 1x open-ended spanner, waf 30/17	▪ 1x cordless compact circular saw CS 68 18-EC	▪ 1 L-BOXX® TK-L 374
▪ 1x set of HSS reversible blades (4 pcs)	▪ 1x carrying case L-BOXX® TK-L 238	▪ 1x standard circular saw blade D190	▪ 1x fast charger CA 12/18
▪ 1x Torx screwdriver		▪ 1x parallel stop	▪ 2x lithium-ion battery pack AP 18/8.0 Ah
		▪ 1x dust bag	

Also included in this promotion:
1x fast charger CA 12/18
2x lithium-ion battery pack AP 18/8.0 Ah



Promotion No. 33

13.444⁰⁰

RFE 40 18.0-EC + 18 V cordless impact screwdriver ID 1/4" 18-EC HD with bit ejector

- Brushless motor
- Tap mode for self-tapping screws
- With bit ejector for quick and easy bit change
- Speed Command for 3 different speed ranges
- 1/4" hex tool holder
- Electronic quick-acting brake
- Robust aluminium die-cast gearbox housing
- Integrated LED light with afterglow function

237 Nm**FLEX pack 18**

Also included in this promotion:

1x fast charger CA 12/18

2x lithium-ion battery pack AP 18/8.0 Ah

**Order No. 535926**

- 1x RFE 40 18.0-EC
- 1x set of HSS reversible blades (4 pcs)
- 1x Torx screwdriver
- 1x open-ended spanner, waf 30/17
- 1x carrying case L-BOXX® TK-L 238
- 1x cordless impact screwdriver ID 1/4" 18-EC HD
- 1x bit storage
- 1x belt clip
- 1x L-BOXX® TK-L 136
- 1x fast charger CA 12/18
- 2x lithium-ion battery pack AP 18/8.0 Ah

**Promotion No. 34****11.708⁰⁰****RFE 40 18.0-EC + 18 V 2-speed cordless impact drill PD 2G 18.0-EC HD with turbo mode**

- Brushless motor
- Anti-kickback function
- Turbo mode for faster and more powerful working
- Max. Torque 158 Nm
- Accelerator trigger switch with switch-on lock
- Electronic quick-acting brake
- Extendable handle
- Integrated LED light with afterglow function

158 Nm**FLEX pack 18**

Also included in this promotion:

1x fast charger CA 12/18

2x lithium-ion battery pack AP 18/8.0 Ah

**Order No. 535927**

- 1x RFE 40 18.0-EC
- 1x set of HSS reversible blades (4 pcs)
- 1x Torx screwdriver
- 1x open-ended spanner, waf 30/17
- 1x carrying case L-BOXX® TK-L 238
- 1x cordless impact drill PD 2G 18.0-EC HD
- 1x handle
- 1x belt clip
- 1x bit storage
- 1x L-BOXX® TK-L 136
- 1x fast charger CA 12/18
- 2x lithium-ion battery pack AP 18/8.0 Ah

**Promotion No. 35****11.925⁰⁰****RFE 40 18.0-EC + 18 V cordless impact screwdriver IW 1/2" 950 18.0-EC**

- Brushless motor
- Max. Release torque 1580 Nm
- Square drive for 1/2" impact sockets
- Electronic quick-acting brake
- Powerful impact tool
- Speed Command for 3 different speed ranges
- Robust aluminium pressure die-cast gearbox housing
- Integrated LED light with afterglow function

950 Nm**FLEX pack 18**

Also included in this promotion:

1x fast charger CA 12/18


2x lithium-ion battery pack AP 18/8.0 Ah

**Order No. 535928**

- 1x RFE 40 18.0-EC
- 1x set of HSS reversible blades (4 pcs)
- 1x Torx screwdriver
- 1x open-ended spanner, waf 30/17
- 1x carrying case L-BOXX® TK-L 238
- 1x cordless impact screwdriver IW 1/2" 18.0-EC
- 1x L-BOXX® TK-L 136
- 1x fast charger CA 12/18
- 2x lithium-ion battery pack AP 18/8.0 Ah

**Promotion No. 36****12.359⁰⁰**

Team power for logistics work



A system that grows with you



Battery-powered basic drive for various attachments GPH 18-EC

- Powerful battery-powered base drive with brushless motor and 2 speed levels
- Accelerator trigger and continuous operation function
- Compact and ergonomic design
- Excellent ease of use thanks to an adjustable handle and shoulder strap



Order No. 532799

- 1x GPH 18-EC boxed
- 1x handle
- 1x shoulder strap

NEW



1.425⁰⁰

Brush cutter attachment GBC-A

- Tool-free assembly
- 2-level variable cutting speed
- Cutting width 23 cm
- Length 100 cm

Order No. 532889

- 1x GBC-A boxed
- 1x knife GBC CB23

NEW



1.118⁰⁰

High pruner attachment GPS-A

- Tool-free assembly
- With 25 cm long blade
- Chain speed 13 m/s
- Branches up to approx. Ø 20 cm are easy to cut
- Automatic lubrication system with an oil reservoir (120 ml)

Order No. 532887

- 1x GPS-A boxed
- 1x saw blade GPS S25
- 1x saw chain GPS C25 0.325" 1.1 mm
- Extension 80 cm

NEW



1.118⁰⁰


Hedge trimmer attachment GHT-A

- Tool-free assembly
- Sawblade length 45 cm
- Double-sided dual-action laser sanding
- Cutting capacity of 20 mm
- Total length of 137 cm
- 12 adjustable cutting angles

Order No. 532888

- 1x GHT-A boxed

NEW



1.118⁰⁰

Extension GEX-A

- Extends the reach of hedge trimmer and pruner attachments by 80 cm.
- Tool-free assembly

Order No. 534804

- 1x GEX-A boxed

NEW



503⁰⁰

You can find further accessories for FLEX garden tools at www.flex-tools.com

Get the garden power sets now!



Cordless hedge trimmer GHT 55 18-EC



- Rotating handle
- Dual safety switch
- Electronic brake stops the tool in 3 seconds

Also included in this promotion:
1x fast charger CA 12/18
2x lithium-ion battery pack AP 18/5.0 Ah



Order No. 535135

- 1x GHT 55 18-EC



Promotion No. 46
3.787⁰⁰

Cordless leaf blower GBL 790 18-EC



- The lightest tool in its class
- 3-level air volume regulation with Boost mode

Also included in this promotion:
1x fast charger CA 12/18
2x lithium-ion battery pack AP 18/5.0 Ah



Order No. 535134

- 1x GBL 790 18-EC



Promotion No. 47
3.787⁰⁰

Cordless lawn trimmer GLT 35 18-EC



- 2-level variable cutting speed
- Cutting width 30 cm
- Thread head with 'Easy load'
- Thread length adjustment with automatic inching
- Thread cutter and spray guard
- Accelerator trigger and continuous operation function

Also included in this promotion:
1x fast charger CA 12/18
2x lithium-ion battery pack AP 18/5.0 Ah



Order No. 535136

- 1x GLT 35 18-EC



Promotion no. 48
4.004⁰⁰

Also available without power kit (order no. 531277) DKK 1.968,00.
Matching accessories:
Thread head (order No. 531305) DKK 160,00
Thread, 5 m (order No. 531304) DKK 87,00



Cordless chainsaw GCS 35 2x18-EC




- High-performance 2x 18 V cordless chainsaw
- Sawblade length 35 cm
- Cuts up to approx. Ø 30 cm
- Sturdy metal bumper spike
- Brushless motor
- Recoil brake stops the chain in 0.12 seconds
- Tool-free chain tensioning via rotary control
- Automatic chain lubrication
- Noise reduction makes it ideal for use in noise-controlled environments

FLEX
pack 18

Order No. 535186

- 1x GCS 35 2x18-EC
- 2x saw chain GCS C35 3/8" 1.1 mm



Promotion No. 49

5.957⁰⁰

Also included in this promotion:

1x fast charger CA 12/18



2x lithium-ion battery pack AP 18/8.0 Ah

Also available
without power kit
(Order No. 531276)
DKK 2.860,00.

Matching accessories:

Saw chain
(Order No. 531302) DKK 191,00
Saw blade
(Order No. 531303) DKK 203,00

18 V cordless lopper GPS 35 18-EC



With safety sensor!

To protect against finger cuts!

- Cuts diameters of up to 35 mm
- Switches off automatically after 3 minutes

FLEX
pack 18

Order No. 535133

- 1x GPS 35 18-EC
- 1x oil
- Clamping spanner
- 1x Allen key, WAF 2
- 1x WAF 4 Allen key



Promotion No. 50

3.028⁰⁰

Also included in this promotion:

1x charger CA 18.0-LD



2x lithium-ion battery pack AP 18/2.5 Ah

Also available
without power kit
(order No. 531279)
DKK 1.968,00.

Wall and ceiling sander

The **FLEX Giraffe®** has always been synonymous with superior handling, good balance and perfect work results.



Giraffe® GE 6 X-EC + safety vacuum cleaner VCE 33 M AC

Order No. 535119

- 1x Giraffe® GE 6 X-EC
- 1x random orbital sanding head
- 1x clip-on quick clamping ring SH-FC 32
- 1x pack (12 sheets) hook-and-loop sandpaper extra-fine 150 grit
- 1x pack (12 sheets) hook-and-loop sandpaper extra-fine 220 grit
- 1x carrying bag



Suitable accessories:
Extension EB 500 GE 6
(Order No. 532222)
DKK 1.323,00



- 1x safety vacuum cleaner VCE 33 M AC
- 1x L-BOXX® 102
- 1x cleaning kit
- 1x 4 m anti-static suction hose



Promotion No. 51
18.326⁰⁰

LED rechargeable light ring WL 1000 GE 6 for GE 6 X/R wall and ceiling sander

- Simple assembly
- 2 brightness settings, 800 lumen and 400 lumen
- Automatic switch-off sensor
- Visual early warning system signals the end of battery life

- Incl. rechargeable battery with integrated USB-C connection
- Charging time approx. 3.5 hours.
- LED rechargeable battery charge display

Order No. 534554

- 1x battery

NEW

Accessory:
Rechargeable battery with USB-C connection
(Order No. 535260) DKK 256,00



1.537⁰⁰

Giraffe® GE 5 X-EC + safety vacuum cleaner VCE 22 M AC**Order No. 535930**

- 1x Giraffe® GE 5 boxed
- Velcro backing pad Ø 225, round
- Clip-on quick clamping ring red
- 1x safety vacuum cleaner VCE 22 M AC
- 1x anti-static suction hose with auxiliary air control
- 1x cleaning kit
- 1x fleece filter bag


Promotion No. 53
12.860⁰⁰
Giraffe® GE 6 R-EC + safety vacuum cleaner VCE 33 M AC**Order No. 533564**

- 1x Giraffe® GE 6 R-EC
- 1x segmented sanding head with pivoting edge segment
- 1x clip quick-action clamping ring SH-FC 32
- 1x pack (12 sheets) hook-and-loop sandpaper extra-fine 150 grit
- 1x pack (12 sheets) hook-and-loop sandpaper extra-fine 220 grit
- 1x carrying bag


Promotion No. 54
17.350⁰⁰


- 1x safety vacuum cleaner VCE 33 M AC
- 1x L-BOXX® 102
- 1x cleaning kit
- 1x 4 m anti-static suction hose

**Giraffe® GE 6 R-EC****Order No. 530900**

- 1x Giraffe® GE 6 R-EC
- 1x segmented sanding head with pivoting edge segment
- 1x clip-on quick clamping ring SH-FC 32
- 1x carrying bag


8.704⁰⁰
**Giraffe® GE 5 ECO****Order No. 405884**

- 1x Giraffe® GE 5 boxed
- 1x clip quick-action clamping ring SH-FC 32
- 1x clip-on adapter SAD-C D36/27 AS/NL



- Easy handling thanks to optimised balance between motor and sanding head
- Reliable power transmission, great flexibility thanks to the flexible drive shaft.


Promotion No. 56
7.842⁰⁰


You will find suitable abrasives from page 62 onwards.
 You'll find more industrial vacuum cleaners on Pages 34/35 or at www.flex-tools.com

Grinding with the FLEX 18 V battery system

Ergonomic, low-vibration palm sander



- Brushless motor
- Electronic speed selector with 4 settings
- Electronic switch with quick-stop function
- Connector for external dust extraction Ø 27 mm
- Integrated extraction with dust filter bag
- Hook-and-loop backing pads with multi-hole system



DEAL!

FLEX pack 18



DEAL!

FLEX pack 18



Technical data

Model	ORE 3-150 18-EC	ORE 5-150 18-EC
Backing plate dimensions	Ø 150 mm	Ø 150 mm
Idling speed	4000-10,000 rpm	4000-10,000 rpm
Idle stroke rate	8000-20,000 rpm	8000-20,000 rpm
Weight excluding battery	1.23 kg	1.23 kg

Scope of delivery

- 1x dust bag
- 1x adapter, short
- 1x adapter, long
- 1x charger CA 18.0-LD
- 2x lithium-ion battery pack AP 18/2.5 Ah
- 2x protective backing PS ORE D150
- 25x sheets of velcro sandpaper D150-14 SV P60
- 25x sheets of velcro sandpaper D150-14 SV P80
- 25x sheets of velcro sandpaper D150-14 SV P120
- 25x sheets of velcro sandpaper D150-14 SV P150
- 1x dust bag
- 1x adapter, short
- 1x adapter, long
- 1x charger CA 18.0-LD
- 2x lithium-ion battery pack AP 18/2.5 Ah
- 2x protective backing PS ORE D150
- 25x sheets of velcro sandpaper D150-14 SV P60
- 25x sheets of velcro sandpaper D150-14 SV P80
- 25x sheets of velcro sandpaper D150-14 SV P120
- 25x sheets of velcro sandpaper D150-14 SV P150



Item No.	535931	535932
Promotion No.	57	58
Recommended retail price excl. moms	4.330,00	4.330,00

**Matching accessories:**

Multi-purpose
headlamp MWL 150 4
(Order No. 534476)
DKK 913,00



You can find more information
on page 15!

For compatible
industrial vacuum cleaners,
please see pages 34/35
or visit
www.flex-tools.com

**DEAL!****ORE 2-125 18-EC**

Ø 125 mm

6000-10,000 rpm

12,000-20,000 rpm

1.0 kg

- 1x dust bag
- 1x adapter, short
- 1x adapter, long
- 1x charger CA 18.0-LD
- 2x lithium-ion battery pack AP 18/2.5 Ah
- 2x protective backing PS ORE D125
- 25x sheets of velcro sandpaper D125-8 SV P60
- 25x sheets of hook and loop sandpaper D125-8 SV P80
- 25x sheets of velcro sandpaper D125-8 SV P120
- 25x sheets of velcro sandpaper D125-8 SV P150

**535933****59****3.787,00****DEAL!****OSE 2-80 18-EC**

133 x 80 mm

6000-10,000 rpm

12,000-20,000 rpm

1.0 kg

- 1x dust bag
- 1x adapter, short
- 1x adapter, long
- 1x charger CA 18.0-LD
- 2x lithium-ion battery pack AP 18/2.5 Ah
- 2x protective backing PS OSE 80 x 133
- 25x hook-and-loop abrasive paper sheet, grit 60
- 25x hook-and-loop abrasive paper sheet, grit 80
- 25x hook-and-loop abrasive paper sheet, grit 100
- 25x hook-and-loop abrasive paper sheet, grit 120
- 1x carrying case L-BOXX® TK-L 238

**535126****60****4.221,00****DEAL!****ODE 2-100 18-EC**

150 x 100 mm

6000-10,000 rpm

12,000-20,000 rpm

1.0 kg

- 1x dust bag
- 1x adapter, short
- 1x adapter, long
- 1x charger CA 18.0-LD
- 2x lithium-ion battery pack AP 18/2.5 Ah
- 2x protective backing PS ODE 100 x 150
- 25x hook-and-loop abrasive paper sheet, grit 60
- 25x hook-and-loop abrasive paper sheet, grit 80
- 25x hook-and-loop abrasive paper sheet, grit 100
- 25x hook-and-loop abrasive paper sheet, grit 120
- 1x carrying case L-BOXX® TK-L 238

**535127****61****4.221,00**

Grinding at the next level

The sanding all-rounder for refurbishment work. A unique, compact design, effective dust extraction and easy to use - FLEX palm sanders with speed control are now available at an attractive introductory price.



Technical data

Model

Eccentric orbital sander ORE 3-150 EC Eccentric orbital sander ORE 5-150 EC



- Brushless motor
- Adjustable speed
- Effective dust extraction
- With disc brake
- Impact-resistant filter cartridge with replaceable PES filter
- Dust extraction connection Ø 27 mm
- Hook-and-loop backing pad with multi-hole system for optimum suction, suitable for all commercially available pads Ø 150 mm

Sanding disc dimensions

Ø 150 mm Ø 150 mm

Idling speed

4000-10,000 rpm 4000-10,000 rpm

Idle stroke rate

8000-20,000 rpm 8000-20,000 rpm

Weight excluding battery

1.4 kg 1.4 kg

Scope of delivery

- 1x medium hook-and-loop backing pad
- 1x PES microfilter cartridge with filter
- 1x size 5 Allen key
- 1x medium hook-and-loop backing pad
- 1x PES microfilter cartridge with filter
- 1x size 5 Allen key

Item No.

447684 447706

Promotion No.

62 63

Recommended retail price excl. Moms

3.424,00 3.424,00

Delta sander ODE 2-100 EC



- Low-vibration
- Brushless motor
- Electronic speed control with 4 settings
- Ergonomically designed, handy grip cap with Soft-Grip inlay
- Effective dust extraction thanks to integrated self-extraction with filter cartridge

100 x 150 mm

8000-12,000 rpm 8000-12,000 rpm 16,000-24,000 rpm

16,000-24,000 rpm 16,000-24,000 rpm 8000-12,000 rpm

1.2 kg

Ø 125 mm

8000-12,000 rpm

16,000-24,000 rpm

1.2 kg

130 x 80 mm

16,000-24,000 rpm

8000-12,000 rpm

1.2 kg

- 1x hook-and-loop backing pad
- 1x PES microfilter cartridge with filter

- 1x hook-and-loop backing pad
- 1x PES microfilter cartridge with filter

- 1x hook-and-loop backing pad
- 1x PES microfilter cartridge with filter

Item No.

468916

468932

64

65

66

2.655,00

2.655,00

2.655,00

You will find the right industrial vacuum cleaner on Pages 34/35. You will find the right abrasive from page 62 onwards.

Maximum dust protection on the construction site

Construction site air cleaner VAC 800-EC



Watch the video!



Work with negative pressure in the working area

A sluice should be installed to prevent dust from migrating into the environment outside the working area. The cleaned air is discharged from the working area via a hose or is fed back into the working area as cleaned air.

Very efficient

Significantly reduces the pollutant load in rooms up to 100 sq. m within a short time.

Very handy

No installation required. Set up, switch on - clean air. Filter changed without using tools.

Low overheads

When used properly, the HEPA 14 filter can be used for up to one year. The VAC 800-EC air cleaner is specially designed for continuous operation and impresses with its very low power consumption.

Whisper mode

In special Night mode, the sound pressure level is only 38 dB (A). This means that the operating noise falls below the concentration disturbance threshold and is therefore also ideally suited to places such as classrooms.

Light weight

Weighing just 7.2 kg, the VAC 800-EC is the quietest in its class, and this makes it easy to move.

Robust construction

Specially designed for extreme conditions on construction sites. The VAC 800-EC is very robust and boasts an impressive long service life.



Toolless 'Top Change' filter change

Thanks to simple operation of the quick-action clamping lever. Prevents unnecessary contact with spent filter cartridges.

VAC 800-EC




Order No. 532859

- 1x VAC 800-EC
- 1x HEPA filter H14
- 1x pre-filter mat G3
- 1x coarse filter G4
- 1x hose SH 125 x 5 m C

Promotion No. 67

8.670⁰⁰



Accessories

Product	Designation	QTY	Order No.	Price excl. moms
Hoses	SH 125 x 5 m C	1	477672	595,00
	SH 125x6m C	1	488186	707,00
	SH 205x7.5m C	1	500399	1.415,00
Filter	Pre-filter mats G3	10	477699	267,00
	Coarse filter G4	1	477702	256,00
	Actimomsed carbon G4	1	477710	584,00
	Fine dust filter F7	1	477729	441,00
	HEPA 13 filter	1	477737	1.650,00
	HEPA 14 filter	1	488194	1.773,00

Clean solutions for your construction site

The FLEX product line for a safe and clean working environment.

FLEX offers a wide range of products for professionals who value a clean and safe working environment: from versatile vacuum cleaners and compact air purifiers to other useful accessories for a safe construction site. Whatever your sector - construction, renovation and refurbishment, workshops or manufacturing - FLEX has the right product to suit any use case and any dust class. By using FLEX safety vacuum cleaners and construction air purifiers, you're making a significant contribution to improving occupational safety. The effective dust control offered by our products keeps ambient air clean and healthy on the construction site or in the workshop.



For more information about our industrial vacuum cleaners, please visit www.flex-tools.com



Technical data

Model	VC 2 L MC Hip 18.0-EC	VC 6 L MC 18.0	VC 9 L MC 18 RC	VCE 22 L MC 2x 18.0	VCE 22 M MC 2x 18.0	VC 6 L MC	VC 21 L MC	VCE 22 M MC
Dust class	L	L	L	L	M	L	L	M
Power consumption	-	-	-	-	-	1200 W	1000 W	1200 W
Tank volume	2 l	6 l	9.5 l	21 l	21 l	6 l	20 l	20 l
Voltage/battery voltage	18 V	18 V	18 V	18 V	18 V	230 V	230 V	230 V
Air flow	1200 rpm	1400 rpm	1780 l/min	2300 rpm	2300 rpm	2280 rpm	3600 rpm	3700 rpm
Max. negative pressure	20,400 Pa	12,000 Pa	20,400 Pa	15,200 Pa	15,200 Pa	23,000 Pa	21,000 Pa	24,500 Pa
Filter surface area	1250 cm ²	3000 cm ²	-	3000 cm ²				
Filter cleaning	manual	manual	manual	manual	manual	manual	manual	manual
Cable length	-	-	-	-	-	5.0 m	5.0 m	7.5 m
Dimensions LxWxH in mm	340 x 135 x 290	240 x 200 x 400	440 x 340 x 258	375 x 392 x 530	375 x 392 x 530	300 x 230 x 440	430 x 380 x 506	377 x 387 x 506
Weight	2.0 kg	3.3 kg	4.7 kg	7.2 kg	7.2 kg	4.7 kg	7.4 kg	9.5 kg
Item No.	509981	481491	534916	531637	531638	481513	405418	519812
Recommended retail price excl. moms	1.845,00	1.948,00	2.143,00	5.074,00	6.038,00	1.374,00	2.245,00	6.099,00



VCE 22 M MC V **VCE 26 L MC** **VCE 26 H MC** **VCE 33 L MC** **VCE 33 L AC** **VCE 33 M AC** **VCE 44 L AC** **VCE 44 M AC** **VCE 44 H AC** **VCE 50 WET**

M	L	H	L	L	M	L	M	H	-
1200 W	1300 W								
20 l	25 l	25 l	30 l	30 l	30 l	42 l	42 l	42 l	50 l
230 V	230 V								
3700 rpm	3600 rpm	3600 rpm	4500 rpm	4200 rpm					
24,500 Pa	21,000 Pa	21,000 Pa	25,000 Pa	23,000 Pa					
3000 cm ²	3000 cm ²	3000 cm ²	5000 cm ²	-					
manual	manual	manual	manual	automatic	automatic	automatic	automatic	automatic	manual
7.5 m	7.5 m								
377 x 387 x 506	475 x 377 x 526	475 x 377 x 526	565 x 385 x 520	565 x 385 x 565	565 x 385 x 565	565 x 385 x 650	565 x 385 x 650	565 x 385 x 650	500 x 440 x 650
9.5 kg	8.4 kg	8.4 kg	14.5 kg	15.2 kg	15.2 kg	15.2 kg	16.7 kg	17.6 kg	15.0 kg
530920	405426	519820	444103	444111	465682	465690	465704	444197	533349
5.689,00	3.332,00	7.278,00	5.433,00	6.304,00	9.174,00	7.319,00	9.738,00	11.009,00	9.574,00

VC 6 L MC

Order No. 532024

- 1x VC 6 L MC
- 1x suction hose 32 mm Ø x 0.5-2.5 m
- 1x flat-fold filter, Class L
- 1x fleece filter bag, Class L
- 1x hand pipe
- 1x crevice nozzle
- 1x round brush
- 1x upholstery nozzle
- 1x padded carrying strap
- 1x running gear

Promotion No. 68

1.454⁰⁰



VC 21 L MC

Order No. 409979

- 1x VC 21 L MC incl. accessories
- 1x comprehensive cleaning set
- 5x fleece filter bags FS-F VC/E 21-26 L VE5



Promotion No. 69

2.160⁰⁰



Matching accessories:

Cleaning set CLE 32 VC 6
(order No. 512621)
DKK 328,00.



VCE 22 M MC for construction site use

Order No. 519812

- 1x VCE 22 M MC
- 1x anti-static suction hose with auxiliary air control
- 1 cleaning kit



6.099⁰⁰



VCE 22 M MC V for automotive use

Order No. 530920

- 1x VCE 22 M MC V
- 1x anti-static suction hose



5.689⁰⁰



Safety vacuum cleaner with automatic filter cleaning VCE 33/44

Standard equipment

- 1x anti-static suction hose Ø 32 mm x 4 m
- 1x L-BOXX® holder
- 1x flat-fold filter PES L/M/H
- 1x fleece filter bag Class L/M
- 1x PP disposal bag
- 1x adapter Ø 25-32 mm, anti-static
- 2x hose holders
- 5x fleece filter bags FS-F VCE L/M
- 1x carrying case L-BOXX® TK-L 102
- 1x extensive cleaning kit



VCE 33 M AC

Order No. 471194

- 1x VCE 33 M AC
- Basic equipment as above

Promotion No. 72

9.123⁰⁰

VCE 33 L AC

Order No. 471186

- 1x VCE 33 L AC
- Basic equipment as above

Promotion No. 73

6.890⁰⁰

VCE 44 M AC

Order No. 471216

- 1x VCE 44 M AC
- Basic equipment as above

Promotion No. 74

9.687⁰⁰

VCE 44 L AC

Order No. 471208

- 1x VCE 44 L AC
- Basic equipment as above

Promotion No. 75

7.368⁰⁰

18 V cordless safety vacuum cleaner with manual filter cleaning, 20 l

VCE 22 L MC 2x 18.0

Order No. 531637

- 1x VCE 22 L MC 2x18.0
- 1x suction hose with auxiliary air control Ø 32 mm x 4 m
- 1x adapter

18V
Li-Ion
Power System



5.074⁰⁰



VCE 22 M MC 2x 18.0

Order No. 531638

- 1x VCE 22 M MC 2x18.0
- 1x anti-static suction hose Ø 32 mm x 4 m
- 1x adapter

18V
Li-Ion
Power System



6.038⁰⁰





Safety vacuum cleaner VCE 33 M AC set + pre-separator VCE PS 25 Cyclone

Order no. 535137

- 1x VCE 33 M AC
- 1x anti-static suction hose Ø 32 mm x 4 m
- 1x L-BOXX® holder
- 1x flat-fold filter PES L/M/H
- 1x fleece filter bag Class L/M
- 1x PP disposal bag
- 1x adapter Ø 25-32 mm, anti-static
- 2x hose holders
- 1x comprehensive cleaning set

- 1x VCE-PS 25 Cyclone
- 1x hose kit for pre-separator
- 1x PE disposal bag



Promotion No. 79

10.406⁰⁰



Pre-separator VCE-PS 25 Cyclone

Order No. 533294

- 1x VCE-PS 25 Cyclone
- 1x hose set for pre-separator
- 1x PE disposal bag



2.501⁰⁰

Powerful wet suction unit with integrated water pump


VCE 50 WET



- With an integrated, powerful waste water pump for removing water damage on construction sites, extracting large quantities of liquid, container suction extraction, use in floods, for flat roof renovation, for cleaning garden ponds and pools. A coarse dirt collection bag protects the filter and pump against clogging
- The maximum suction height is up to 2.3 metres in full suction mode (immersed) and up to 8 metres when sucking in a water-air mixture (sipping). The maximum delivery distance is 50 metres with a maximum height difference of 3 metres. Maximum delivery height is 9 metres with a delivery distance of 10 metres
- Reliable and safe even when used in wet environments thanks to the hose connections' IP 68 protection class
- GFCI operator protection circuit breaker integrated into the cable
- With aluminium C-coupling and extensive accessories
- Equipped with large wheels and two metal swivel guide rollers
- Sturdy container with integrated grip recess for emptying the container easily



With integrated water pump



Order No. 533349

- 1x VCE 50 Wet
- 1x C-hose D38, 10 m
- 1x filter net
- 1x crevice nozzle, D38, 240mm
- 1x wet floor nozzle, D38, 360 mm
- 1x suction pipe D38
- 1x suction hose D38, 7 m
- 1x pond nozzle D38, 90 mm



10 m dirty water hose with C-pipe connection

9.574⁰⁰

In the mix!

FLEX professional mixers are causing a stir on the market. Get an ergonomically-optimised solution now for clean, powerful and fast mixing on the construction site. The perfect introductory offer for painters, plasterers and bricklayers.



- For mixing applications
- Full-wave electronic control: with soft start, temperature monitoring, overload protection and continuous speed control via accelerator trigger switch

For matching mixing buckets
please turn to page 71

1010 W 1-speed mixer MXE 1000

- For mixing applications up to 40 kg
- Idle speed 0-780 rpm

Promotion No. 81

1.834⁰⁰



Order No. 535187

- 1x 1-speed mixer MXE 1000
- 1x helical paddle mixer HP2 120 x 600 M14

1200 W 2-speed mixer MXE 1202

- For mixing applications up to 60 kg
- 3-setting switch / Setting 1: Cleaning, setting 2: Slow stirring, setting 3: Mixing
- no-load speed, 1st gear 0 - 210 / 325 / 530/min
- no-load speed, 2nd gear 0-320/490/530 rpm

Promotion No. 82

2.442⁰⁰



Order No. 497304

- 1x 2-speed mixer MXE 1202
- 1x helical paddle mixer HP2 140 x 600 M14

1600 W 2-speed mixer MXE 1602

- For mixing applications up to 90 kg

Promotion No. 83

3.147⁰⁰



Order No. 497312

- 1x 2-speed mixer MXE 1602
- 1x helical paddle mixer HP2 160 x 600 M14

18 V cordless 2-speed mixer with 3-setting speed switch MXE 18.0-EC



- For mixing applications up to 30 kg
- 3-setting switch/ setting 1: Cleaning, setting 2: Slow stirring, setting 3: Mixing
- no-load speed, 1st gear 0 - 210/325/530 rpm
- no-load speed, 2nd gear 0-320/490/780 rpm

Promotion No. 84

5.415⁰⁰

Order No. 535138

- 1x cordless 2-speed mixer MXE 18.0-EC
- 1x charger CA 12/18
- 2x lithium-ion battery pack AP 18/5.0 Ah
- 1x helical paddle mixer HP2 120 x 600 M14



Precision right down the line



Tripod LKS 65-170 F 1/4
available as an accessory
DKK 738,00
(Order No. 398624)



Self-levelling crosshair laser ALC 2/1-G/R

- Individually switchable horizontal and vertical laser line
- Anti-reflection lenses
- Range up to 50 metres/ up to 70 metres with receiver
- Self-levelling can be switched off
- Integrated lithium-polymer rechargeable battery



Order No. 535154

- 1x ALC 2/1-G/R
- 1x magnetic holder
- 1x carrying bag
- 1x USB cable
- 1x USB charger

1.866⁰⁰

Self-levelling crosshair laser ALC 3/1-G/R

- With one horizontal and two vertical laser lines at a 90° angle plus plumb (red laser), individually switchable.
- Range up to 50 metres/ up to 70 metres with receiver
- Anti-reflection lenses
- Battery operating period of more than 6 hours



Order No. 535155

- 1x ALC 3/1-G/R
- 1x magnetic holder
- 1x carrying bag
- 1x USB cable
- 1x USB charger

2.348⁰⁰

Laser rangefinder ADM 70 G up to max. 70 m

- Green laser
- Length, surface, volume and indirect measurements
- Permanent angle measurement
- Stores up to 99 values
- Continuous measurement mode
- Unit/sound button: Silent or with beep
- Illuminated four-line display
- Housing protected against dust and splash water
- 1/4" connecting thread for tripods
- Can be used with AAA 1.5 V batteries or a rechargeable battery



Order No. 535156

- 1x lithium-ion battery
- 3x AAA 1.5 V batteries
- 1x USB on micro-USB cable
- 1x protective bag

1.148⁰⁰

ADM 30 G laser rangefinder up to max. 30 m

- Rapid determination of dimensions indoors
- Simple operation
- Length, surface area and volume calculation
- Indirect height measurement
- Continuous measurement mode
- Units can be switched between m/mm, inch/feet
- Integrated rechargeable battery
- Automatic switch-off
- Illuminated display
- Dust-proof housing




Order no. 504599

- 1x ADM 30 Smart
- 1x hand strap
- 1x USB cable

424⁰⁰

Safety information! FLEX laser measuring devices comply with all international safety standards. Products comply with laser class 2 or 2M according to DIN EN 60825-1: 2001-11 (wavelength 635-670 nm, output power < 1mW) and do not harm the eyes or skin when used as directed. Nevertheless, you should never look directly into the laser beam when using laser measuring devices.

850 W metal band saw with pivoting saw frame SBG 4910



- Can be used with sawing bench or guided manually
- Stepless and tool-free adjustment of the cutting angle from 0° to 45°
- 3-point ball-bearing saw blade guide for optimum blade control

TECHNICAL DATA SBG 4910

Power consumption	850 W
Power output	445 W
Voltage	230 V
Frequency	50/60 Hz
Saw blade length	1335 mm
Saw blade width	13 mm
Saw belt thickness	0.65 mm
Angle adjustment	45°
Cutting length 90°	100 mm
Cutting width 90°	80 mm
Cutting length 45°	68 mm
Cutting width 45°	55 mm
Cable length	4.0 m
Dimensions L x W x H	640 x 310 x 390 mm
Saw frame weight	7.9 kg
Weight	18 kg



Order No. 535139

- 1x SBG 4910
- 1x parallel stop
- 1x bimetallic saw blade

Promotion No. 89

5.306⁰⁰


Cordless band saw SBE 127 18-EC



- Brushless motor
- Adjustable belt speed
- Toolless saw blade changing
- Integrated LED light
- Ergonomically designed, non-slip rubber-coated handle
- With metal bracket, non-slip for flexible attachment



+ work table WB SBE 127



- Simple assembly
- Easily legible 0-45° scale
- Includes sturdy bench vice with jaw liners
- With flexible length stop on both sides, up to 310 mm on the right and 380 mm on the left
- If required, the table can be mounted on the WB 110-260 base frame.



FLEX
pack 18XL

Order No. 534517

- 1x SBE 127 18-EC
- 1x charger CA 18.0-LD
- 1x lithium-ion battery pack AP 18/5.0 Ah
- 1x bimetallic saw blade
- 1x carrying case
- 1x WB SBE 127



Promotion No. 90

7.476⁰⁰

18 V cordless mitre saw SMS 305 18-EC + base frame WB 110-260

- Max. cutting sizes: 101 x 330 mm and 92 x 356 mm.
- Overload protection and temperature monitoring
- Quick-action clamping holder
- LED lamp and cutting line indicator
- Convenient, compact and lightweight
- With transport lock and pull catch
- Connector for external dust extraction Ø 27 mm, 36 mm
- Chip collection bag for dust-reduced work
- Spindle lock for rapid change of saw blade



Also included in this promotion:

1x fast charger CA 12/18

2x lithium-ion battery pack AP 18/8.0 Ah



Order No. 535130

- 1x SMS 305 18-EC
- 1x standard saw blade
- 1x cross-cut saw Underframe WB 110-260



Promotion No. 91

15.180⁰⁰

18 V cordless benchtop circular saw TS 92 18-EC Base frame for cordless benchtop circular saw WB Ts

- Brushless 18 V motor
- Overload protection and temperature monitoring
- Extra-lightweight cordless benchtop circular saw
- Easy working with CutSense/Auto mode
- Chip collection bag for less dust while working



LED lamp integrated in the parallel fence for optimum illumination of the work area. Rechargeable with USB-C



Stepless angle adjustment for mitre cuts from 0-45°

Order No. 535129

- 1x TS 92 18-EC
- 1x saw blade D254 x 2.0/1.4 x 30 TCT Z=40/+18° ATB
- 1x disc guard
- 1x parallel stop
- 1x angle stop
- 1x splitting wedge
- 1x anti-kickback device
- 1x push stick
- 1x dust bag
- 1x clip adapter SAD-C 36 AS
- 1x suction adapter
- 1x spanner
- 1x size 5 Allen key
- 1x work bench for cordless benchtop circular saw WB TS



Base frame also as an accessory (Order No. 532593).



High-precision parallel fence with rack and pinion system. Supports longitudinal cuts up to 427 mm on the left side and 780 mm on the right side. Very smooth and quick adjustment



Connector for external dust extraction Ø 27 mm, 36 mm



Also included in this promotion:

1x fast charger CA 12/18

2x lithium-ion battery pack AP 18/8.0 Ah



Promotion No. 92

14.095⁰⁰

Compact 18 V cordless metal circular saw CSM 57 18-EC



- Precise sawing of metal without cooling fluid
- Brushless motor
- Motor brake stops the saw blade in 0.5 seconds
- Guide plate adjustable without tools
- Continuous cutting depth adjustment up to 57 mm
- Chip collection container can be emptied without tools
- Integrated LED light



Technical data CSM 57 18-EC

Battery voltage	18 V
Max. Idling speed	4500 rpm
Cutting depth	57 mm
Saw blade diameter	150 mm
Saw blade hole	20 mm
Max. Max. material thickness in steel 800 N/mm ² (stainless steel)	8 mm
Weight without battery pack	2.4 kg
Dimensions L x W x H	300 x 200 x 205 mm

18 V cordless angle grinder LBE 125 18.0-EC



- Brushless motor
- Soft start, restart interlock, temperature monitoring, overload protection, CDC constant electronics
- With an electronic brake, the tool stops in approx. 3 seconds
- Anti-kickback
- Perfect dust protection
- Extremely streamlined handle section
- Disc guard adjustable without tools



Order no. 535934

- 1x CSM 57 18-EC (boxed)
- 1x parallel stop
- 1x metal saw blade D150 x 1.3/1.0 x 20 TCT Z=36/0°
- 1x adapter plate for guide rail



Promotion No. 93

6.391⁰⁰

- 1x LBE 125 18.0-EC (boxed)
- 1x disc guard for grinding
- 1x handle
- 1x clamping flange
- 1x clip-on cutting guard
- 1x clamping nut M 14

Also included in this promotion:
1x fast charger CA 12/18
2x lithium-ion battery pack AP 18/5.0 Ah



Compact 18 V cordless metal circular saw CSM 57 18-EC + guide rail



INCLUDING

Practical transport bag
GRS 80 guide rail



Also included in this promotion:
1x fast charger CA 12/18
2x lithium-ion battery pack AP 18/5.0 Ah



Order no. 535935

- 1x CSM 57 18-EC (boxed)
- 1x parallel stop
- 1x metal saw blade D150 x 1.3/1.0 x 20 TCT Z=36/0°
- 1x adapter plate for guide rail



Promotion No. 94

5.415⁰⁰

The alternative to the small cutting bench Diamond cutting wheel for stone CS 60 WET



- Continuous cutting depth adjustment 0-60 mm
- Mitre cuts 0-44 mm
- Cut marking on guide table 0°/30°/45°
- Water supply
- Quick-action coupling for 1/2" water hose
- GFCI operator protection circuit breaker integrated into the cord



Stepless angle adjustment for mitre cuts from 0-45°



High-performance motor: extra-powerful, for cutting stone and milling joints



Order No. 531029

- 1x diamond cutting wheel for stone CS 60 WET
- 1x key for tool changing
- 1x parallel stop
- 1x L-BOXX® 238
- 1x diamond cutting wheel with segmented cutting edge

Promotion No. 95

9.755⁰⁰

INCLUDING
GRS 160
Guide rail



18 V cordless compact circular saw with pendulum hood CS 68 18-EC

FLEX pack 18XL

- Brushless motor
- Overload protection and temperature monitoring
- Angle scale from 0° to 56°
- With preset angles of 22.5°/45° and 56°
- Connector for external dust extraction with Ø 27 mm, 36
- Chip collection bag for less dust while working
- Motor brake stops the saw blade in 2 seconds
- Integrated LED light

Also included in this promotion:
1x fast charger CA 12/18
2x lithium-ion battery pack AP 18/8.0 Ah



INCLUDING
GRS 160
Guide rail



Order No. 535131

- 1x cordless compact circular saw CS 68 18-EC
- 1x standard circular saw blade D190
- 1x parallel stop
- 1x dust bag
- 1x L-BOXX® 374

Promotion No. 96

9.104⁰⁰





Universal rotary hammer drill CHE 2-28 R SDS-plus TC



- 800 W hammer and chisel drill
- Drilling with hammer function
- Max. drilling range up to 28 mm in concrete
- Rotation stop for chiselling
- Clockwise/anti-clockwise rotation
- Drilling depth stop for precise working
- Accelerator trigger and continuous operation function



Order No. 533851

- 1x CHE 2-28 R SDS-plus
- 1x handle
- 1x chuck SDS-plus
- 1x drilling depth stop
- 1x carrying case



1.630⁰⁰

4 kg combination rotary hammer drill CHE 4-32 R SDS-plus



- 900 W
- Drilling chuck can be removed without tools
- Rotation stop for chiselling
- Max. drilling range up to 32 mm
- SDS-plus tool quick-change system
- Function switch with four functions
- Accelerator trigger switch
- Additional handle with depth stop



Xtreme
PLUS

INCLUDING

High-quality 7-part set with 4 cutting edges



Xtreme

INCLUDING

3-piece chisel set



Order No. 534506

- 1x CHE 4-32 R SDS-plus
- 1x handle
- 1x keyless chuck with rotation stop Ø 1.5-13 mm
- 1x chuck SDS-plus
- 1x drilling depth stop
- 1x L-BOXX® TK-L 238



Promotion No. 98
4.655⁰⁰

Order No. 534507

- 1x DH 5 SDS-max
- 1x handle
- 1x tube of grease
- 1x carrying case

Promotion No. 99
5.263⁰⁰

You will find more drill bits and chisels from page 58 onwards.

RETECFLEX the universal tool for renovation, refurbishment and modernising RE 16-5 115, pointed scouring head kit

- Continuous speed setting
- Soft start and restart protection
- Anti-kickback
- High torque
- Vibration-dampened, ergonomic bail handle
- Extraction connector with FLEX clip system
- Dust extraction guard with continuous height adjustment

Order No. 531031

- 1x RE 16-5 115
- 1x pointed milling head
- 1x dust extraction sanding hood Ø 115 mm with brush ring
- 1x milling base Ø 80 mm
- 1x grinding disc Ø 115/M14 hook-and-loop, bowl
- 1x corundum sanding disc kit Ø 115
- 1x bow handle
- 1x ring spanner, WAF 13
- 1x size 4 Allen key
- 3x fixing screws, M 8
- 1x L-BOXX® 238 carrying case

Promotion No. 100

8.127⁰⁰



INCLUDING

Diamond grinding disc
Turbo-Jet II



128.00 value (excl. Moms)

Compact 1600 W renovation sander for sanding close to the edge LDE 16-8 125 R, Turbo-Jet II kit

- Soft start,
- 1600 W high-performance motor
- Continuous idle speed control 4500-7800 rpm
- Anti-kickback
- Disc guard with pivoting segment
- Vibration-dampened, ergonomic bail handle
- FLEX clip-on hose connection for Ø 32 mm
- Recessed spindle lock

INCLUDING

Diamond backing pad
Scree-Jet Ø 125 mm
(backing pad for abrasive materials)



Order No. 513474

- 1x LDE 16-8 125 R
- 1x diamond backing pad Turbo-Jet II
- 1x dust extraction guard with brush ring
- 1x bow handle

- 3x cable holders
- 1x Allen key, WAF 4
- 1x face spanner
- 1x L-BOXX® 238 carrying case

Promotion No. 101

6.500⁰⁰



Also available as LD 16-8 125 R, Turbo-Jet II set with constant speed, (Order No. 504939)
DKK 5.792,00.


165.00 value excl. Moms

Powerful 2400 watt renovation sander for surfaces, 180 mm LD 24-6 180, Turbo-Jet kit

- Elastic rubber suction ring with low-wear metal ring
- Dust extraction protects against abrasive dust
- Soft start and restart protection
- Dust extraction guard with continuous height adjustment
- Extraction nozzle 32 mm external Ø
- For sanding plates with heights of 22 - 28 mm
- With infinitely variable, vibration-dampened ergonomic handle

INCLUDING

PKD backing pad Ø180 mm



Order No. 513482

- 1x LD 24-6 180
- 1x Turbo-Jet diamond grinding disc, Ø 180 mm
- 1x dust extraction guard with rubber suction ring
- 1x suction adapter
- 1x clamping nut M 14

- 1x clamping flange WAF 17
- 1x Allen key, WAF 6
- 1x face spanner
- 1x bow handle
- 3x cable holders
- 1x carrying case

Promotion No. 102

8.670⁰⁰



345.00 value excl. Moms

2x Turbo-Jet diamond grinding disc, Ø 125 mm

Turbo-Jet backing pad with optimum removal rate. The large number of diamond segments results in much smoother running behaviour and a more attractive grinding pattern. For reducing/levelling formwork unevenness and ideal for surface sanding on mineral substrates.

Order no. 535936

- Turbo-Jet II D125 22,2

Promotion No. 103

1.292⁰⁰



For matching industrial vacuum cleaners, please see pages 34/35 or visit www.flex-tools.com



2600 W angle grinder L 26-6 230 TK-S

Ø 230



- Soft start, restart protection, overload protection, CDC constant electronics
- Anti-kickback
- SoftVib handle can be fitted in three positions
- Rear shaft handle can be rotated by 90° anti-clockwise or clockwise



Order No. 466239

- 1x L 26-6 230 TK-S
- 1x carrying case
- 1x SDS-Clic quick-release nut M 14
- 1x diamond cutting wheel, standard concrete Ø 230 mm

Promotion No. 104

2.702⁰⁰

3x diamond cutting wheel, standard concrete Ø 230 mm

Fast, durable universal cutting disc, suitable for concrete and stone.



2200 W angle grinder L 2200 230 + dust extraction hood DCG AG 230

Ø 230

- Durable motor and gearbox housing.
- Rear shaft handle with soft padding
- Switch with lock-off switch and interlock
- Restart protection
- Soft start
- Disc guard adjustable without tools



Order No. 534511

- 1x L 2200 230
- 1x disc guard 230 Ø grinding
- 1x handle
- 1x clamping flange
- 1x clamping nut M 14
- 1x face spanner
- 1x dust extraction guard DCG AG 230

Promotion No. 105

2.919⁰⁰

Order No. 534512

- 3x D-TCS S 230 x 22.2

Promotion No. 106

858⁰⁰

900 W angle grinder LE 9-11 125 L-BOXX®

Ø 125



- Constant speed control, speed control, soft start, restart protection, overload protection
- Variable speed adjustment (6 settings)
- Compact, streamlined and ergonomic design
- Anti-kickback
- Disc guard adjustable without tools



Order no. 535937

- 1x LE 9-11 125
- 1x disc guard Ø 125 grinding
- 1x clip-on cutting guard 125 Ø mm
- 1x handle
- 1x clamping flange
- 1x clamping nut M 14
- 1x face spanner
- 1x L-BOXX®
- 136 carrying case

Promotion No. 107

1.61700

INCLUDING
FixTec quick-release nut M 14



INCLUDING
Cutting disc Xtreme for steel



2200 / 850 watt angle grinder L 2200 230 / L 850 125

2200 W angle grinder L 2200 230

- Max. grinding tool Ø 230 mm
- No-load speed 6500 rpm
- Power consumption 2200 watts
- Tool holder M 14
- Clamping collar Ø 64 mm
- Cable length 4.0 m
- Weight 5.8 kg

850 watt angle grinder L 850 125

- Max. grinding tool Ø 125 mm
- No-load speed 12,000 rpm
- Power consumption 850 watts
- Tool holder M 14
- Clamping collar Ø 40.3 mm
- Cable length 4.0 m
- Weight 1.8 kg

Order No. 533121

- 1x L 2200 230
- 1x L 850 125
- 1x carrying case

2.04000

Also available as a case set with L 2200 230 and L 1100 125 (Order No. 532779) DKK 2.204,00.

1700 W angle grinder LBE 17-11 125

Ø 125

Variable speed



- Variable speed 2800-11,500 rpm
- Sophisticated dust seal system
- Mechanical brake stops in 3.5 seconds
- Disc guard adjustable without tools
- Lockable slide switch
- SoftVib handle with integrated clamping nut wrench and vibration damping



Order no. 535938



- 1x LBE 17-11 125
- 1x disc guard Ø 125 grinding
- 1x clip-on cutting guard 125 Ø mm
- 1x SoftVib handle
- 1x clamping flange
- 1x clamping nut M 14

Promotion No. 108

2.44000

INCLUDING
FixTec M14 quick-release nut



Unlimited performance!

**Powerful and reliable
2000 watt angle grinder
with brushless motors
125 mm and 150 mm**





Paddle switch only available with model LBP 20-11 125-EC



Eyelet for safety belt only available with model LBP 20-11 125-EC



Buttons for speed adjustment (only for models with variable speed settings)



Metal mesh screen (removable) offers improved dust protection



Technical data

Model	LB 20-11 125-EC	LBE 20-11 125-EC	LBP 20-11 125-EC	LBE 20-8 125-EC INOX	LBE 20-10 150-EC
Max. tool diameter in mm	125	125	125	125	150
Switch type	Toggle switch	Toggle switch	Paddle switch	Toggle switch	Toggle switch
Power (watts)	2000	2000	2000	2000	2000
Variable speed (rpm)	-	3000 / 4000 / 5000 / 6000 / 7500 / 9400 (11,000)	-	3000 / 4000 / 5000 / 6000 / 7000 / 7800	3000 / 4000 / 5000 / 6000 / 7500 / 8500 (10,000)
Max. speed (rpm)	11,000	11,000	11,000	7800	10,000
Idle speed (level 6) rpm	9400	9400	9400	7500	8500
Length in mm	350	350	350	350	350
Weight with cable in kg	2.75	2.75	2.75	2.75	2.75
Item No.	534017	534016	534018	534019	534020
Recommended retail price excl. moms	2.870,00	3.075,00	3.075,00	3.075,00	3.075,00

The FLEX range for the automotive sector

Whether for professional vehicle restoration, bodywork or mechanics: with its extensive portfolio for the automotive sector, FLEX sets standards in terms of both quality and efficiency.



Technical data

Model	Cordless rotary polisher PE 2 18-EC	Cordless eccentric polisher with freewheel XFE 2 15 18-EC	Cordless eccentric polisher with forced rotation XCE 2 8 18-EC	Cordless polisher rotary and eccentric with freewheel PXE 80 12-EC
Features	<ul style="list-style-type: none"> As powerful as a cable polisher over the entire battery life Brushless motor Adjustable speed Soft start High-performance gearbox Soft start High-performance gearbox 	<ul style="list-style-type: none"> Brushless motor Adjustable speed Soft start High-performance gearbox Magnet integration stabilises the disc run and prevents long overrunning of the disc 	<ul style="list-style-type: none"> Brushless motor Adjustable speed Soft start High-performance gearbox Additional external gearbox enables rotary positive drive with simultaneous eccentric movement 	<ul style="list-style-type: none"> Brushless motor Soft start Quick-change system for exchanging the drive types without using tools 4 speed levels, LED display
Voltage	18 V	18 V	18 V	12 V
Max. support plate size	150 mm	150 mm	150 mm	75 mm
Max. polishing disc size				80 mm
Idling speed	(110) 550 - 1800 rpm	1350 - 4350 rpm	225 - 700 rpm	400-2000/-3000/-4000/-5800 rpm
Idle stroke rate		2700 - 8700 rpm	2700 - 8700 rpm	800-4000/-6000/-8000/-11600 rpm
Stroke		15 mm	8 mm	3 / 12 mm
Dimensions L x W x H	407 x 72 x 108 mm	388 x 125 x 126 mm	388 x 125 x 126	265 x 65 x 95 mm
Weight excluding battery	2.1 kg	2.1 kg	2.0 kg	0.6 kg
Scope of delivery	<ul style="list-style-type: none"> 1x Velcro disc cushioned, M 14 Ø 150 mm Charger + 2x battery 18/5.0 Ah 	<ul style="list-style-type: none"> 1x special hook and loop pad cushioned Ø 150 mm Charger + 2x battery 18/5.0 Ah 	<ul style="list-style-type: none"> 1x special hook and loop pad cushioned Ø 150 mm Charger + 2x battery 18/5.0 Ah 	<ul style="list-style-type: none"> Charger + 2x battery 12/2.5 Ah Charger + 2x battery 18/5.0 Ah
Item No.	534654	534662	534658	532268
Recommended retail price excl. moms	6.652,00	6.550,00	6.652,00	4.397,00



Further products around automotive and matching accessories can be found at www.flex-tools.com



Polisher with variable speed PE 2 14-EC	Polisher with accelerator switch PE 14-3 125	Eccentric polisher with freewheel XFE 2 15 14-EC	Eccentric polisher with forced rotation XCE 2 8 14-EC
<ul style="list-style-type: none"> ▪ Powerful 1400 watt motor ▪ Continuous speed setting ▪ Flat gear head ▪ Accelerator trigger switch ▪ Special gearbox for noise reduction 	<ul style="list-style-type: none"> ▪ Thanks to the wide speed range, ideally suited to work perfectly with polishing pads from Ø 80 to max. Ø 160 mm ▪ Continuous speed setting ▪ Accelerator trigger switch 	<ul style="list-style-type: none"> ▪ 15 mm polishing stroke for high efficiency ▪ Freewheel drive for hologram-free finishing ▪ Accelerator trigger switch ▪ Very smooth running thanks to balancing mass 	<ul style="list-style-type: none"> ▪ 8 mm polishing stroke, positive-action drive provides high abrasive power without creating any holograms ▪ Accelerator trigger switch for a slow and sensitive start ▪ Powerful 1010 watt motor
1400 W	1400 W	1400 W	1400 W
150 mm	125 mm	150 mm	150 mm
150 mm	160 mm	150 mm	150 mm
550 - 1800 rpm	1100 - 3700 rpm	1350 - 4350 rpm	225 - 700 rpm
		2700 - 8700 rpm	2700 - 8700 rpm
		15 mm	8 mm
	375 x 84 x 120 mm		
2.3 kg	2.2 kg	2.3 kg	2.2 kg
▪ 1x M14 cushioned hook & loop pad Ø 150 mm	▪ 1x handle	▪ 1x special hook and loop pad cushioned Ø 150 mm	▪ 1x special hook and loop pad cushioned Ø 150 mm
532985	406813	532987	532986

4.705,00

3.639,00

4.254,00

4.254,00

STACK PACK™

Your mobile workshop for maximum flexibility!

Discover the STACK PACK™, the ultimate toolbox system for professionals! No more tedious lugging from site to site - with this modular tool trolley, you can transport your equipment safely and in an organised way. Thanks to the stackable transport case system, your tools are always to hand and perfectly organised.

Whether you're a carpenter transporting an extensive collection of woodworking tools, an electrician who needs to store cables, switches and sockets or a plumber who needs secure storage for pliers and fittings - the STACK PACK™ makes tool organisation easier and provides efficient tool storage on the construction site. Painters and varnishers also benefit from this flexible transport solution for safely carrying power tools, brushes and accessories from job to job.



More info about
STACK PACK™
can be found at
www.flex-tools.com



The all-round package for all jobs

TK-L SP KIT-1

STACKPACK™

Advantage Set 1 consisting of

- Roller box TK-L SP RB
- Medium Box TK-L SP BO
- Big organiser TK-L SP BO

Order no. 531461

3.270⁰⁰





FLEX
STACK
PACK™

**The organiser package
in the Advantage Set**

TK-L SP KIT-2

STACKPACK™

Advantage Set 2 consisting of

- Trolley TK-L SP RD
- Drawer box TK-L SP 3DB
- Drawer Box TK-L SP 2DB
- Worktop TK-L SP WT

Order no. 533247

4.910⁰⁰



**Roller box TK-L SP RB**

- Robust tyres Ø 23 cm
- 110 kg loading capacity
- Universal hook
- Removable handle
- Incl. removable accessory container
- Gas pressure springs

Order No. 531464

1.938⁰⁰**Medium Box TK-L SP MB**

- 63 kg loading capacity
- Incl. removable accessory container
- Metal-reinforced folding handle
- Gas pressure springs

Order No. 531465

1.077⁰⁰**Drawer Box TK-L SP 3DB**

- 3 self-locking drawers incl. dividers
- Robust steel rails
- 32 kg loading capacity

Order No. 533239

2.245⁰⁰**Drawer Box TK-L SP 2DB**

- 2 self-locking drawers incl. dividers
- Robust steel rails
- Oversized bottom drawer
- 32 kg loading capacity

Order no. 533240


2.143⁰⁰**Garage Box TK-L SP CB**

- Self-locking door
- Large storage space
- Quick-release fasteners
- 32 kg loading capacity

Order no. 533241

1.835⁰⁰**Adapter plate SP-MAP**

For attaching all standard boxes to the STACK^{PACK™} system. With the adapter plate, the STACK^{PACK™} boxes can be combined with the following system boxes: Metabo/metaBOX, Makita/MakPac, FLEX/L-Boxx, Festool/Systainer, DeWalt/Tstak, Bosch/L-Boxx.

Order no. 534077**503⁰⁰**

Top Box TK-L SP TB

- 50 kg loading capacity [Order no. 531466](#)
- Incl. four accessory containers with partitions

810⁰⁰**Box TK-L SP C**

- Quick-release fasteners
- Ready for accessories
- 32 kg loading capacity
- Bumper

[Order No. 533238](#)**667⁰⁰****Deep Box TK-L SP DO**

- Quick-release fasteners [Order no. 533242](#)
- Deep compartments with removable dividers
- 27 kg loading capacity

1.015⁰⁰**Big organiser TK-L SP BO**

- 22 kg loading capacity [Order no. 531467](#)
- Incl. eight accessory containers with partitions

708⁰⁰**Small Organizer TK-L SP SO**

- 11 kg loading capacity [Order No. 531468](#)
- Clear, transparent cover
- Incl. four accessory containers with partitions

400⁰⁰**Trolley TK-L SP RD**

- Effortlessly move loaded STACK PACK™ boxes
- Robust wheels can be turned through 360° for maximum mobility
- Up to 110 kg loading capacity

1.015⁰⁰**Worktop TK-L SP WT**

- 3/4" plywood panel, replaceable
- Integrated storage pockets
- Tool holders
- Folding hook

[Order no. 533245](#)**605⁰⁰****Small bag TK-L SP TT**


- Hook and metal clip
- High-quality polyester material
- Double wall with 6 pockets

[Order no. 533244](#)**334⁰⁰****Tool bag TK-L SP TT**

- Simple swivel-action handle
- 1x padded shoulder strap
- High-quality polyester material
- 44 pockets and compartments

1.118⁰⁰**Cable wrap TKH KW**[Order no. 531472](#)**195⁰⁰****Spirit level holder TKH ADL**[Order no. 531469](#)**195⁰⁰****Tool holder rails side TKH WS**[Order no. 531471](#)**410⁰⁰**

Drills, bits and more



Tile/glass drill bits

Type	Description	Ø mm	Total length mm	Working length mm	Order No.	Price excl. moms
TD D4x 10/60	NEW	4.0	60	10	535051	44,00
TD D5x 11/70		5.0	70	11	535052	47,00
TD D6x 13/75	Tile/glass drill bits with carbide plate and tapered point for precise drilling. The best drilling results are achieved at low speeds with sufficient cooling. Suitable for glass, tiles, ceramics, mirror glass and porcelain.	6.0	75	13	535053	50,00
TD D8x 14/80		8.0	80	14	535054	56,00
TD D10x 15/100		10.0	100	15	535055	71,00
TD D12x 18/100		12.0	100	18	535056	92,00
TD D4-10 Set VE5	Tile/glass drill bits with carbide plate and tapered point for precise drilling. The best drilling results are achieved at low speeds with sufficient cooling. Suitable for glass, tiles, ceramics, mirror glass and porcelain. Contains 1 drill bit each for Ø 4x60, 5x70, 6x75, 8x80 und 10x100				535057	225,00

Metal drill

Xtreme **Xtreme**
PLUS

Type	Description	Ø mm	Order No.	Price excl. moms
D-M D1-10 Set HSS-G VE19	HSS G 19-part drill bit set DIN 338: Ø 1-10 x 0.5	Ø 1-10 x 0.5 mm	534072	298,00
D-M D1-13 set HSS-G 25-pack	HSS G 25-part drill bit set DIN 338: Ø 1-13 x 0.5	Ø 1-13 x 0.5 mm	534073	605,00
D-M D1-10 set HSS-Co 19-pack	HSS Co 19-part drill bit set DIN 338: Ø 1-10 x 0.5	Ø 1-10 x 0.5 mm	534075	728,00
D-M D1-13 Set HSS-Co VE25	HSS Co 25-part drill bit set DIN 338: Ø 1-13 x 0.5	Ø 1-13 x 0.5 mm	534076	1.528,00

Drill

Type	Description	Ø mm	Total length mm	Order No.	Price excl. moms
	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	5	110		
		6	110		
		8	110		
HD 4-C D5-12 Set SDS-plus		6	160	533610	667,00
		8	160		
		10	160		
		12	160		
	Hammer drill, 4 cutting edges SDS-Plus Xtreme Plus Flat chisel SDS-Plus Xtreme Pointed chisel SDS-Plus Xtreme	5	110		
CH/HD 4-C kit SDS-plus		6	160	533611	503,00
		8	160		
		10	160		
	Hammer drill, 2 cutting edges SDS-plus Xtreme Flat chisel SDS-plus Xtreme Pointed chisel SDS-plus Xtreme	5	110		
CH/HD 2-C kit SDS-plus		6	160	533612	400,00
		8	160		
		10	160		
	Hammer drill, 2 cutting edges SDS-Plus Xtreme	5	110		
HD 2-C D5-10 Set SDS-plus		6	110		
		6	160	414026	245,00
		8	160		
		10	160		
		16	540		
HD 4- C Set 1 SDS-max VE4	Hammer drill, 4 cutting edges SDS-max Xtreme Plus	18	540	533717	3.578,00
		20	520		
		22	520		
HD 4- C Set 2 SDS-max VE4	Hammer drill, 4 cutting edges SDS-max Xtreme Plus	18	540	533718	4.090,00
		20	520		
		22	520		
		32	570		
HD 4- C Set 3 SDS-max VE5	Hammer drill, 4 cutting edges SDS-Max Xtreme Plus	16	540		
		18	540		
		20	520	533719	4.603,00
		22	520		
		25	520		

Drill

Xtreme

Xtreme
PLUS

Type	Description	Ø mm	Total length mm	Working length mm	Order No.	Price excl. moms
HD 4-C D5x 50/110 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	5.0	110	50	533566	82,00
HD 4-C D6x 50/110 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	6.0	110	50	533567	82,00
HD 4-C D8x 50/110 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	8.0	110	50	533568	93,00
HD 4-C D5x 100/160 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	5.0	160	100	533569	85,00
 HD 4-C D5.5x 50/110 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	5.5	110	50	535533	82,00
 HD 4-C D5,5x 100/160 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	5.5	160	100	535534	85,00
 HD 4-C D5.5x 150/210 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	5.5	210	150	535535	128,00
HD 4-C D6x 100/160 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	6.0	160	100	533570	85,00
HD 4-C D6.5x 100/160 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	6.5	160	100	533571	105,00
HD 4-C D8x 100/160 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	8.0	160	100	533572	95,00
HD 4-C D10x 100/160 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	10.0	160	100	533573	111,00
HD 4-C D12x 100/160 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	12.0	160	110	533574	136,00
HD 4-C D6x 150/210 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	6.0	210	150	533575	128,00
HD 4-C D8x 150/210 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	8.0	210	150	533576	112,00
HD 4-C D10x 150/210 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	10.0	210	150	533577	133,00
HD 4-C D12x 160/210 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	12.0	210	160	533578	157,00
HD 4-C D14x 160/210 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	14.0	210	160	533579	232,00
HD 4-C D16x 160/210 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	16	210	160	533580	304,00
HD 4-C D6x 200/260 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	6.0	260	200	533581	151,00
HD 4-C D6.5x 200/260 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	6.5	260	200	533582	181,00
HD 4-C D8x 200/260 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	8.0	260	200	533583	143,00
HD 4-C D10x 200/260 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	10.0	260	200	533584	170,00
HD 4-C D12x 210/260 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	12.0	260	210	533585	204,00
HD 4-C D14x 210/260 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	14.0	260	210	533586	256,00
HD 4-C D16x 210/260 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	16.0	260	210	533587	327,00
HD 4-C D18x 200/250 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	18.0	250	200	533588	449,00
HD 4-C D20x 200/250 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	20.0	250	200	533589	491,00
HD 4-C D8x 250/310 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	8.0	310	250	533590	203,00
HD 4-C D10x 250/310 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	10.0	310	250	533591	203,00
HD 4-C D12x 260/310 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	12.0	310	260	533592	234,00
HD 4-C D14 260/310 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	14.0	310	260	533593	296,00
HD 4-C D16 260/310 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	16.0	310	260	533594	379,00
HD 4-C D8x 400/460 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	8.0	460	400	533595	334,00
HD 4-C D10x 390/450 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	10.0	450	390	533596	286,00
HD 4-C D12x 400/450 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	12.0	450	400	533597	348,00
HD 4-C D14x 400/450 SDS-plus	Hammer drill, 4 cutting edges SDS-plus Xtreme Plus	14.0	450	400	533598	430,00
CH-PO 250 SDS-plus	Pointed chisel SDS-plus Xtreme	-	250		533599	77,00
CH-FL 20x250 SDS-plus	Flat chisel SDS-plus Xtreme	20	250		533600	77,00
CH-SC 40x250 SDS-plus	Spade chisel SDS-plus Xtreme	40	250		533601	108,00
CH-TI 40x250 SDS-plus	Curved tile chisel, SDS-plus Xtreme	40	250		533602	159,00
CH-PO 250 SDS-max	Pointed chisel SDS-Max Xtreme	-	400		533603	159,00
CH-FL 25x400 SDS-max	Flat chisel SDS-Max Xtreme	25	400		533604	159,00
CH-SC 50x400 SDS-plus	Spade chisel SDS-Max Xtreme	50	400		533605	200,00
CH-TI 50x300 SDS-plus	Tile chisel SDS-Max Xtreme	50	300		533606	523,00
CH SET SDS-max VE2	SDS-max chisel set: Pointed/flat chisel Extreme	400	2-piece		533607	359,00
CH SET SDS-max VE3	SDS-max chisel set: Pointed/flat/wide chisel Xtreme	400	3-piece		533608	410,00
CH SET SDS-plus VE3	SDS-plus chisel set: Pointed/flat/wide chisel Xtreme	250	3-piece		533609	236,00

Bit sets




Head	Type	Total length mm	Order No.	Price excl. moms
	DB Bulk PH2 (25 pcs)	25	530489	108,00
	DB Bulk PH2 (15 pcs)	50	534158	159,00
	DB Bulk PZ2 (25 pcs)	25	534550	108,00
	DB Bulk PZ2 (15 pcs)	50	534551	159,00
	DB Bulk T10 (25 pcs)	25	534154	108,00
	DB Bulk T15 (25 pcs)	25	534155	108,00
	DB Bulk T20 (25 pcs)	25	530490	108,00
	DB Bulk T25 (25 pcs)	25	530491	108,00
	DB Bulk T30 (25 pcs)	25	530492	108,00
	DB Bulk T40 (25 pcs)	25	530493	108,00
	DB Bulk T20 (15 pcs)	50	534156	159,00
	DB Bulk T25 (15 pcs)	50	534157	159,00
	DB Bulk T30 (15 pcs)	50	534552	159,00
	Bulk packs!			

Product	Set contents	Accessories	Order No.	Price excl. moms
 	25 mm: PH1 (2x), PH2 (3x), PH3 (2x), PZ1 (2x), PZ2 (3x), PZ3 (2x) H3, H4, H5, H6, SL4, SL5, SL5.5, SL6, T15, T20 (3x), T25 (3x), T30 (3x) T40 50 mm: T25, T30, T40, PH2 (2x), H5	Magnetic bit holder 60 mm Adapter 1/4" to 1/2" Socket spanner 6/8 mm and 1/2" Impact sockets Ø 10/13 mm, length 78 mm	535105	482,00
	25 mm: PH1, PH2 (x2), PH3, PZ1, PZ2, PZ3, PZ4, SL4, SL5, SL6; T10, T15, T20(x2), T25(x3), T30(x3), T40(x3) 50 mm: T10, T15, T20 (x2), T25 (x3), T30 (x3), T40 (x3)	8/10/13 mm socket set Universal bit holder magnetic, impact-resistant 77 mm and 152 mm	530494	462,00
	25 mm: PH1, PH2 (x2), PH3; PZ1, PZ2 (x2), PZ3, H4, H5, H6, T10(x3), T15(x3), T20(x4), T25(x4), T30(x3), T40(x2)	Universal bit holder magnetic, impact-resistant 60 mm	533103	204,00
 	50 mm: T20, T25(x2), T30, T40, PH2	Socket spanner 7/8/10 Universal bit holder magnetic, impact-resistant 60 mm Multi-material drill Ø4x100, Ø5x100, Ø 6x100, Ø 8x120 mm, Ø 10x 120 mm	534463	400,00

Impact nut set

Product	Set contents	Order No.	Price excl. moms
 	Tailor-made automotive impact socket set for impact wrenches, especially suitable for aluminium rims with PET protection against scratches. Made of high-quality alloy steel, very durable and resilient. With colour coding for easy identification of sizes. Box suitable for the STACK PACK™ system, stackable. Contents: Ø 17, 19, 21 mm, size 1/2 inch.	534706	399,00
 	Customised impact socket set with thin-walled housing, ideal for narrow working areas with 1/2 inch sockets. Manufactured from high-quality chrome-molybdenum steel, making it particularly resistant to high torques. Radius corners in a 6-point design ensure a secure hold without slipping or breaking. Box suitable for the STACK PACK system, stackable. Contents: Ø 10, 11, 13, 15, 17, 19 mm, length 35 mm and an adapter from 1/4 E6.3 to 1/2 inch.	534707	461,00

For the finishing touches



Abrasive starter sets Ø 125 mm

Product	Type/grit	QTY	Order No.	Price excl. Moms
 	D125 ST-Set			
	2x PS ORE D125 25x D125-8 SV P60 25x D125-8 SV P80 25x D125-8 SV P120 25x D125-8 SV P150	102	534771	687,00

Abrasive starter sets Ø 150 mm

Product	Type/grit	QTY	Order No.	Price excl. Moms
 	D150 ST set			
	2x PS ORE D150 25x D150-14 SV P60 25x D150-14 SV P80 25x D150-14 SV P120 25x D150-14 SV P150	102	534770	769,00

Abrasive starter sets Ø 225 mm

Product	Type/grit	QTY	Order No.	Price excl. Moms
 	D225 ST set			
	2x PS GE-R D225 12x D225-10 SF-P80 12x D225-10 SF-P120 12x D225-10 SF-P180 12x D225-10 SF-P220	350	534769	974,00

Hook-and-loop sanding disc Ø 225 mm




Sanding media

Product	QTY	Type/grit	Order No.	Price excl. Moms
 Sandpaper ZIRCOFLEX Xtreme quality The sandpaper for extremely high removal and ideal for cleaning surfaces.	12	P 24	531918	605,00
	12	P 40	531916	605,00
	12	P60	531917	605,00
 Hook and loop sanding pad	10	A 100	281042	749,00
	10	A 180	281034	749,00
 Mesh abrasives Xtreme Plus quality Specially developed to tackle dusty substrates in drywall construction. The innovative open grid structure ensures dust is removed from the entire surface. High abrasiveness, very long service life.	12	P 100	534172	328,00
	12	P 120	534173	328,00
	12	P 150	534174	328,00
	12	P 180	534175	328,00
	12	P 240	534176	328,00
	12	P 320	534171	328,00

Interface pad/carrier plate

 Interface pad medium	IP D225-10 M GE 6 R	532674	194,00
 Medium interface pad for extra-fine sandpaper	IP D225-10 MF GE 6 R	532696	194,00
 Support plate D225	BP D225-10 GE 6 R	532221	245,00

Protective backing

 Pad saver	PS GE-R D225 2-pack	534179	334,00
 Pad saver	PS GE-X D225 3-pack	534323	481,00

Hook-and-loop sanding disc Ø 225 mm

● suitable ○ partially suitable ○ not suitable

Base ingredients for fillers

Lightweight filler	Gypsum cellu- lose	Medium			Hard	Speed setting	QTY	Type/grit	Order No.	Price excl. moms
		Gypsum plastic	Silicate filler	Fibre-rein- forced mineral						
○	○	○	○	○	○		25	P 40	280739	954,00
○	○	○	○	○	●	4-6	25	P 60	260233	954,00
○	○	●	○	●	●	4-6	25	P 80	260234	954,00
○	○	●	○	●	●	4-6	25	P 100	260235	913,00
○	●	●	●	●	●	3-6	25	P 120	282405	913,00
●	●	●	●	●	○	2-4	25	P 150	311995	913,00
●	●	○	○	○	○	2-4	25	P 180	311987	913,00
●	●	○	○	○	○	2-4	25	P 220	260236	913,00
○	○	○	○	○	○		12	P 24	531542	564,00
○	○	○	○	○	○		12	P 40	531900	256,00
○	○	○	○	○	○		25	P 40	533818	503,00
○	○	●	○	●	○	3-6	12	P 60	531901	252,00
○	○	●	○	●	○	3-6	25	P 60	533819	503,00
○	○	●	○	●	●	3-6	12	P 80	531902	252,00
○	○	●	○	●	●	3-6	25	P 80	533820	503,00
○	●	●	○	●	●	3-6	12	P 100	531896	235,00
○	●	●	○	●	●	3-6	25	P 100	533821	462,00
●	●	●	●	●	●	2-6	12	P 120	531897	235,00
●	●	●	●	●	●	2-6	25	P 120	533822	462,00
●	●	○	●	○	○	2-4	12	P 150	531898	235,00
●	●	○	●	○	○	2-4	25	P 150	533823	462,00
●	●	○	○	○	○	2-4	12	P 180	531543	235,00
●	●	●	○	○	○	2-4	25	P 180	534772	462,00
●	●	○	○	○	○	2-4	12	P 220	531899	235,00
●	●	○	○	○	○	2-4	25	P 220	533824	462,00
○	○	○	○	○	○		12	P 40	531908	405,00
○	○	○	○	●	●	4-6	12	P 60	531909	405,00
○	○	○	○	●	●	4-6	12	P 80	531544	405,00
○	○	●	○	●	●	3-6	12	P 100	531903	389,00
○	●	●	●	●	●	3-6	12	P 120	531904	389,00
●	●	●	●	○	○	2-5	12	P 150	531905	389,00
●	●	●	○	○	○	2-5	12	P 180	531906	389,00
●	●	○	○	○	○	2-5	12	P 220	531907	389,00

Hook-and-loop sanding disc Ø 125 mm

Product	Type/grit	QTY	Order No.	Price excl. mom's
	A 40	12	532039	211,00
	A 60	12	532040	211,00
	A 80	12	532041	211,00
	hard	5	393347	462,00
	soft	5	393355	421,00
	coarse	10	358614	554,00
	medium	10	358622	451,00
	very fine	10	358630	451,00
	A 100	5	380717	226,00
	A 280	5	380725	175,00
	S 1500	5	380733	175,00
	50	1	382817	462,00
	100	1	382825	462,00
	200	1	382833	462,00
	400	1	382841	462,00
	800	1	382868	462,00
	1500	1	382876	462,00
	3000	1	382884	462,00
	P 40	25	531922	266,00
	P 60	25	531923	266,00
	P 80	25	531924	235,00
	P 100	25	531925	235,00
	P 120	25	531926	235,00
	P 150	25	531549	235,00
	P 180	25	531550	235,00
	P 220	25	531927	235,00
	P 320	25	531551	235,00
	P 400	25	531552	235,00

Hook-and-loop backing pad, 125 mm diameter

	Hook-and-loop backing pad medium	SP-M D125-M	1	468975	451,00
--	----------------------------------	-------------	---	--------	--------

Protective backing Ø 125 mm

	Pad saver Ø 125 mm	PS ORE D125 2-pack	2	534181	122,00
--	--------------------	--------------------	---	--------	--------

Hook-and-loop abrasives Ø 150 mm Xtreme

Product	Type/grit	QTY	Order No.	Price excl. mom's
	P 40	12	531565	252,00
	P 60	12	531564	252,00
	P 80	12	532038	252,00
	30	1	418951	626,00
	50	1	418978	626,00
	100	1	418986	626,00
	200	1	418994	626,00
	400	1	419001	626,00
	800	1	419028	626,00
	1500	1	419036	626,00
	3000	1	419044	626,00
	P 40	25	531950	307,00
	P 60	25	531951	307,00
	P 80	25	531952	252,00
	P 100	25	531953	252,00
	P 120	25	531954	252,00
	P 150	25	531545	252,00
	P 180	25	531546	252,00
	P 220	25	531955	252,00
	P 320	25	531547	252,00
	P 400	25	531548	252,00
	P 100	12	534518	159,00
	P 120	12	534519	159,00
	P 150	12	534520	159,00
	P 180	12	534521	159,00
	P 240	12	534522	159,00
	P 320	12	534523	159,00

Protective backing Ø 150 mm

	Pad saver Ø 150 mm	PS ORE D150 2-pack	2	534180	133,00
---	--------------------	--------------------	---	--------	--------



Hook-and-loop sanding pad, 80 x 133 mm

Product	Type/grit	QTY	Order No.	Price excl. moms
	Hook and loop sanding pad MESHFLEX	A 280	5	380954 113,00
	P 40	25	531928	180,00
	P 60	25	531929	164,00
	P 80	25	531930	164,00
	P 100	25	531931	149,00
	P 120	25	531832	149,00
	P 150	25	531553	149,00
	P 180	25	531554	149,00
	P 220	25	531933	149,00
	P 320	25	531555	149,00

Hook-and-loop backing plate

	Hook-and-loop backing plate 80 x 130 mm	SP 80 x 130-M	1	469009	328,00
	Hook-and-loop backing plate 70 x 198 mm	SP 70 x 198-M	1	531313	359,00

Protective backing

	Pad saver 80 x 133 mm	PS OSE 80x133 2-pack	2	534182	122,00
--	-----------------------	----------------------	---	--------	--------

Hook-and-loop sanding pad, 100 x 150 mm

Product	Type/grit	QTY	Order No.	Price excl. moms
	Hook and loop sanding pad MESHFLEX	A 100	5	381160 236,00
	A 280	5	381179	185,00
	S 1500	5	381187	185,00
	P 40	25	531934	226,00
	P 60	25	531935	211,00
	P 80	25	531936	211,00
	P 100	25	531937	190,00
	P 120	25	531938	190,00
	P 150	25	531560	180,00
	P 180	25	531561	180,00
	P 220	25	531939	180,00
	P 320	25	531562	180,00

Hook-and-loop backing plate

	Hook-and-loop backing plate 100 x 150 mm	SP 100 x 150-M	1	468991	328,00
---	--	----------------	---	--------	--------

Protective backing

	Padsaver 100 x 150 mm	PS ODE 100x150 2-pack	2	534183	122,00
---	-----------------------	-----------------------	---	--------	--------

Ideally equipped for every application



Accessories for LBE 76 12-EC, Ø 76 mm

Xtreme **Xtreme**
PLUS

Product	Type	QTY	Order No.	Price excl. moms
 Cutting/roughing disc starter set	S-set LBE76	1	533228	190,00
 Thin cutting disc (1 mm) for stainless steel/steel, flat	M-CD 76/1 INOX VE5	5	533229	118,00
 Carbide cutting disc (1 mm), flat With sharp and durable cutting surface, carbide-tipped, thickness 1 mm, Ø 76 mm. Excellent for cutting materials such as wood with nails, plastic, fibreglass and dry-wall.	CA-CD 76/1	1	533715	159,00
 Diamond cutting disc for tiles, flat Thanks to the fine diamond coating, it cuts through hard materials effortlessly without chipping or cracking. This guarantees high cutting quality and a long service life. Thickness 1 mm, Ø 76 mm.	DIA-CD 76/1	1	533716	221,00
 Bundled as pack of 3	DIA-CD 76/1	3	535122	433,00
 Metal roughing disc, depressed	M-GD 76/4 3-pack	3	533230	108,00

Accessories for angle grinder, Ø 125 mm

Product	Type	QTY	Order No.	Price excl. moms
 Thin cutting discs (1 mm) for stainless steel/steel, in a tin	Xtreme PLUS	10	533348	205,00
 10x cutting discs (1.2 mm) for stainless steel/steel, in a tin	Xtreme	10	534474	102,00



Jigsaw blade set

Type	Description	QTY	Order No.	Price excl. moms
DEAL!				
	Specially developed for cordless jigsaws			
	Jigsaw blade for soft wood			
JS 75 Pro set	up to 65 mm	3x	535141	183,50
	Jigsaw blade for pipes, etc. up to Ø 6 mm			
	Jigsaw blade for disassembly			

Reciprocating saw blade set

Type	Description	QTY	Order No.	Price excl. moms
DEAL!				
	Metal reciprocating saw blade for 1.5-3 mm cuts			
RS/Bi set	Wood reciprocating saw blade for 6-100 mm cuts	3x	535140	216,00
	Wood and nail reciprocating saw blade for 3-190 mm cuts			

Starlock saw blade sets


Product	Set contents	Order No.	Price excl. moms
	NEW Floor and installation With Starlock attachment for optimum power transfer and convenient blade change. Outstanding service life, for versatile flooring work. SM FI-SET VE4 Contents: 1 plunge-cut saw blade curved for precise cuts in wood, 1 plunge-cut saw blade curved for hardwood and abrasive wood-based materials, 32 x 50 mm, 1 scraper multi-material for hard residues such as glue, mortar, 52 mm, 1 segment saw blade for wood and soft metal, 85 mm.	535179	564,00
	NEW Electrics and Dry construction With Starlock attachment for optimum power transfer and convenient blade change. Outstanding service life, for versatile work by electricians and drywall fitters. SM ED-SET VE6 Contents: 1 asymmetrical saw blade with 2 functions enables straight cuts in e.g. drywall boards and clean cutting of corners. Drywall boards and clean cutting of corners, 53 x 40 mm, 2 saw blades curved for precise cuts in wood and metal, 32 x 50 mm, 1 plunge-cut saw blade for precise cuts in wood, soft metal, plastic, 65 x 40 mm, 1 plunge-cut saw blade bi-metal for cuts in wood and metal, 1 plunge-cut saw blade, narrow shape 20 x 30 mm, ideal for small cut-outs in wood and unhardened metal.	535180	769,00
	NEW Renomomision work With Starlock attachment for optimum power transfer and convenient blade change. Outstanding durability, for versatile renomomision work. SM RE-SET VE9 Contents: 1 scraper multi-material for hard residues such as glue, mortar, 52 mm, 1 saw blade curved for precise cuts in wood and metal, 32 x 50 mm, 1 sanding plate for sanding wood, removing paint from surfaces, ideal for corners. With matching sandpaper: 2x P80, P120, 1x P240. 1 segment saw blade for wood with tapered ends, making it possible to reach corners and hard-to-reach areas.	535181	872,00



Accessories for CG 310 18

Product	Type	QTY	Order No.	Price excl. moms
 Cartridge holder 310, push rod 374 mm, cartridge pusher, hook, Allen key	CH 310 CG 18 set	1	533219	554,00
 Ejection tube 400, push rod 374 mm, nozzle cap, foil pouch pusher, tub material pusher, 3x nozzles, hook, Allen key	H 400 CG 18 set	5	533220	872,00
 Ejection tube 600, push rod 498 mm, nozzle cap, foil pouch pusher, tub material pusher, 3x nozzles, hook, Allen key	H 600 CG 18 set	1	533221	1.271,00
 3 nozzles	NZ CG 18 3-pack	1	533222	123,00

Mixing paddles

Description	Designation	Ø	Mix	Connection	Order No.	Price excl. moms
 Bitumen stirrer BP Suitable for very viscous materials with high adhesion thanks to its hooked shape. The parallel mixing effect prevents lumps from forming and air being stirred in. Ideal for bitumen and bituminous, fibrous compounds. Durable and long-lasting thanks to powder coating.	BP 160x600 M14	140 mm	130 kg	M14	534041	349,00
 Spiral paddle mixer SP Two negatively arranged discs press the mix downwards, preventing liquid material from spraying out. Ideal for liquid to viscous material: Paints, dispersions, varnishes, glazes, coatings, pastes, bitumen. Durable and long-lasting thanks to powder coating.	SP2 100x600 M14	100 mm	130 kg	M14	534023	257,00
	SP2 120 x 600 M14	120 mm	20-40 kg	M14	534024	277,00
	SP2 85 x 400 SW8	85 mm	0-10 kg	WAF8	534025	175,00
	SP2 100 x 600 SW10	100 mm	130 kg	WAF10	534026	246,00
 Helical paddle mixer HP2 Two right-handed spirals for kneading and mixing viscous to pasty materials. The stirring rod screws itself downwards and pushes the mix upwards. Versatile for: Tile adhesive, grout, filler, finishing plaster, adhesive mortar, leveling compound, screed. Durable and long-lasting thanks to powder coating.	HP2 120x600 M14	120 mm	15-25 kg	M14	534027	308,00
	HP2 140 x 600 M14	140 mm	20-40 kg	M14	534028	359,00
	HP2 160 x 600 M14	160 mm	20-40 kg	M14	534029	462,00
 Helical paddle mixer HP3R Three right-handed spirals screw themselves into the material. Even heavy and viscous materials can be mixed quickly and intensively with little effort. Also known as a mortar or heavy-duty mixer. Ideal for: Mortar, concrete, plaster, screed, bonding agents, thick coatings. Durable and long-lasting thanks to powder coating.	HP3R 120x600 M14	120 mm	15-25 kg	M14	534030	400,00
	HP3R 140 x 600 M14	140 mm	20-40 kg	M14	534031	451,00
	HP3R 160 x 600 M14	160 mm	30-60 kg	M14	534032	513,00
 Helical paddle mixer HP3L Three left-handed spirals press the mix down into the hopper. Settled pigments, solids or fibers are rinsed up and evenly mixed. The mix does not splash. Ideal for liquid and creamy mixes: Paints, emulsion paints, gypsum plaster, casting compounds, materials containing fibers. Durable and long-lasting thanks to powder coating.	HP3L 120x600 M14	120 mm	15-25 kg	M14	534033	400,00
	HP3L 140 x 600 M14	140 mm	20-40 kg	M14	534034	451,00
	HP3L 160 x 600 M14	160 mm	30-60 kg	M14	534035	503,00
 Disc paddle mixer DP2 Two discs with blades angled in opposite directions create a dynamic flow in the mixing container. The blades on the discs push the stirred product downwards or upwards in opposite directions. Ideal for liquid to viscous material: Paints, dispersions, paste, glue, casting compounds. Durable and long-lasting thanks to powder coating.	DP2 120x600 M14	120 mm	15-25 kg	M14	534036	359,00
	DP2 160x600 M14	160 mm	30-60 kg	M14	534037	472,00
 Whisk BE Stirring arms made of round material prevent air bubbles from being stirred in. Ideal for all materials where air pockets must be avoided: Leveling compounds, fillers, adhesives, sealants. Durable and long-lasting thanks to powder coating.	BE 120x600 M14	120 mm	10-30 kg	M14	534038	298,00
	BE 140 x 600 M14	140 mm	30-60 kg	M14	534039	359,00
	BE 150 x 600 M14	150 mm	30-60 kg	M14	534040	400,00
 Adapter SDS-plus M 14 Stirring rod with thread M14. Can be used with rotary hammer drill SDS-plus.	Adapter SDS-plus - M14 i	-	-	-	374091	236,00
 Extension M 14 Extension for stirring rods M 14. For stirring liquids (paints) in large containers.	R-V 400 M14 M/F	-	-	-	374113	318,00

